

| Chapter 4 - 1995 Toxics Release Inventory | 15 |
|---|----|
| TRI Releases and Transfers | 15 |
| What to Consider When Using TRI Data | 15 |
| Toxicity of the Chemical | 15 |
| Exposure Considerations | 16 |
| 1995 National Overview | 18 |
| "Form A" Reporting | 20 |
| TRI Chemical Expansion for the 1995 Reporting Year | 20 |
| 1995 TRI Data by State | 23 |
| 1995 TRI Data by Industry | 27 |
| 1995 TRI Data by Federal Facilities | 31 |
| 1995 TRI Data by Chemical | 34 |
| TRI Chemical Expansion in the 1995 Reporting Year | 34 |
| Chemical-Specific Data Tables for All TRI Chemicals | 37 |
| Use, Toxicity, and Environmental Fate Information | 37 |
| Metals and Metal Compounds | 41 |
| OSHA Carcinogens | 42 |
| Releases and Transfers of All TRI Chemicals | 48 |

CHAPTER 4 - EXHIBITS

| Table 4-1. TRI Releases, 1995 | | 19 |
|--|----|----|
| Table 4-2. TRI Transfers, 1995 | | 19 |
| Table 4-3. TRI Releases and Transfers, Newly Added Chemicals | | |
| Compared to Other TRI Chemicals, 1995 | | 21 |
| Table 4-4. TRI Releases by Release Type, Newly Added Chemicals | | |
| Compared to Other TRI Chemicals, 1995 | | 23 |
| Table 4-5. TRI Transfers by Waste Management Activity, | | |
| Newly Added Chemicals Compared to Other | | |
| TRI Chemicals, 1995 | | 23 |
| Table 4-6. TRI Releases by State, 1995 | | 24 |
| Table 4-7. TRI Transfers by State, 1995 | | 25 |
| Table 4-8. TRI Releases of Newly Added Chemicals Compared to | | |
| Other TRI Chemicals for Top 10 States with | | |
| Largest Total Releases, 1995 | | 26 |
| Table 4-9. TRI Transfers of Newly Added Chemicals Compared to | | |
| Other TRI Chemicals for Top 10 States with | | |
| Largest Total Transfers, 1995 | | 27 |
| Table 4-10. TRI Releases by Industry, 1995 | | 28 |
| Table 4-11. TRI Transfers by Industry, 1995 | | 29 |
| Table 4-12. TRI Releases of Newly Added Chemicals Compared to | | |
| Other TRI Chemicals, by Industry, 1995 | | 30 |
| Table 4-13. TRI Transfers of Newly Added Chemicals Compared to | | |
| Other TRI Chemicals, by Industry, 1995 | | 31 |
| Table 4-14. TRI Releases from Federal Facilities, 1995 | 32 | |
| Table 4-15. TRI Transfers from Federal Facilities, 1995 | 32 | |
| Table 4-16. TRI Releases from Federal Facilities, | | |
| by Federal Agency, 1995 | | 32 |
| Table 4-17. TRI Transfers from Federal Facilities, | | |
| by Federal Agency, 1995 | | 33 |
| Table 4-18. Top 20 TRI Chemicals with the Largest Releases, | | |
| among Newly Added Chemicals, 1995 | | 35 |
| Table 4-19. Top 20 TRI Chemicals with the Largest | | |
| Total Releases, 1995 | | 38 |
| Table 4-20. TRI Releases of Metals and Metal Compounds, 1995 | | 40 |
| Table 4-21. TRI Transfers of Metals and Metal Compounds, 1995 | | 41 |
| Table 4-22. TRI Releases to Air, Water, and Land of | | |
| OSHA Carcinogens, 1995 | | 46 |
| Table 4-23. Facilities and Forms Reporting Source Reduction | | |
| Activity, by Category, 1995 | | 53 |

| Figure 4-1. Distribution of TRI Releases, 1995 | 19 |
|--|----|
| Figure 4-2. Distribution of TRI Transfers, 1995 | 19 |
| Doy 4.1 An Exploration of Dalacces | 16 |
| Box 4-1. An Explanation of Releases | 16 |
| Box 4-2. An Explanation of Transfers | 17 |
| Box 4-3. Number of Chemicals Added for the Reporting Year 1995 | 21 |
| Box 4-4. Basis of OSHA Carcinogen Listing for Individual Chemicals | 43 |
| | |

Underground Injection Surface Water Air

Chapter 4

1995 Toxics Release Inventory

This chapter provides information reported by facilities for calendar year 1995. It includes data facilities submitted for all chemicals reportable for 1995, including the 286 newly added chemicals and chemical categories. The chapter presents releases of these toxic chemicals from the facilities as well as transfers of chemicals in waste to off-site locations for further processing or disposal. It also presents data on management of TRI chemicals in waste on-site or by transfer off-site. Each section supplies an overview of national data and summary analyses by state, industry, and chemical.

TRI Releases and Transfers

Box 4-1 describes on-site releases reportable to TRI and the types of activities that may contribute releases to various environmental media. Box 4-2 lists off-site transfers for waste management or further processing that are reportable to TRI.

WHAT TO CONSIDER WHEN USING TRI DATA

Users of TRI information should be aware that TRI data reflect releases and transfers of chemicals, not exposures of the public to those chemicals. The TRI data, in conjunction with other information, can be used as a starting point in evaluating exposures that may result from releases and transfers of toxic chemicals. The determination of potential risk depends upon many factors, including the toxicity of the chemical, the fate of the chemical after it is released, and the human or other populations that are exposed to the chemical after its release. Listed below are some of the factors that should be considered when reviewing TRI data.

Toxicity of the Chemical

The TRI list consists of chemicals that vary widely in their ability to produce toxic effects.

- Some high-volume releases of less toxic chemicals may appear to be a more serious
- Of the 286 chemicals, 20 were diisocyanates and 19 were polyaromatic compounds. These are reported not as individual chemicals, but as 2 chemical compounds. Furthermore, 3 other chemicals have been remanded, and one chemical was not reportable for 1995 because of an administrative stay. Therefore, the number of reportable chemicals added to the TRI in 1995 was 245.



An Explanation of Releases

Releases. A release is an on-site discharge of a toxic chemical to the environment. This includes emissions to the air, discharges to bodies of water, releases at the facility to land, as well as contained disposal into underground injection wells. Releases are reported to TRI by media type.

Releases to Air. Releases to air are reported either as stack or fugitive emissions. Stack emissions are releases to air that occur through confined air streams, such as stacks, vents, ducts, or pipes. Fugitive emissions are all releases to air that are not released through a confined air stream. Fugitive emissions include equipment leaks, evaporative losses from surface impoundments and spills, and releases from building ventilation systems.

Releases to Water. Releases to water include discharges to streams, rivers, lakes, oceans, and other bodies of water. This includes releases from contained sources, such as industrial process outflow pipes or open trenches. Releases due to runoff, including stormwater runoff, are also reportable to TRI.

Underground Injection. Underground injection is a contained release of a fluid into a subsurface well for the purpose of waste disposal. Wastes containing TRI chemicals are injected into either Class I wells or Class V wells. Class I wells are used to inject liquid hazardous wastes or dispose of industrial and municipal wastewaters beneath the lowermost underground source of drinking water. Class V wells are generally used to inject non-hazardous fluid into or above an underground source of drinking water. TRI reporting does not currently distinguish between these two types of wells, although there are important differences in environmental impact between these two methods of injection. However, 1996 reports will provide this distinction.

Releases to Land. Releases to land occur within the boundaries of the reporting facility. Releases to land include disposal of toxic chemicals in landfills (in which wastes are buried), land treatment/application farming (in which a waste containing a listed chemical is applied to or incorporated into soil), surface impoundments (which are uncovered holding areas used to volatilize and/or settle waste materials), and other land disposal methods (such as spills, leaks, or waste piles). For the 1996 reporting year, reporters will be requested to distinguish between RCRA subtitle C landfills and all other landfills.

Box 4-1. An Explanation of Releases.

problem than lower-volume releases of highly toxic chemicals, when just the opposite may be true.

For example, phosgene is toxic in smaller quantities than methanol, and a comparison between these two chemicals for setting hazard priorities or estimating potential health concerns, solely on the basis of volume released, may be misleading.

Exposure Considerations

 Potential degradation or persistence of the chemical in the environment. Exposure to a chemical is dependent upon the chemical being available. The potential for exposure is greater the longer the chemical remains unchanged in the environment. Sunlight, heat, or microorganisms may or may not decompose the chemical.

 For example, microorganisms readily degrade some chemicals, such as methanol, into less toxic chemicals; volatile organic chemicals, such as ethylene and propylene, react in the atmosphere, contributing to the formation of smog; metals are persistent and will not degrade upon release to the environment.



An Explanation of Transfers

Off-site Transfers. An off-site transfer is a transfer of toxic chemicals in waste to a facility that is geographically or physically separate from the facility reporting under TRI. Chemicals reported to TRI as transferred are sent to off-site facilities for the purposes of recycling, energy recovery, treatment, or disposal. The quantities reported represent a movement of the chemical away from the reporting facility. Except for off-site transfers for disposal, these quantities do not necessarily represent entry of the chemical into the environment.

Transfers to Publicly Owned Treatment Works (POTWs). A POTW is a wastewater treatment facility that is owned by a state or municipality. Wastewaters from facilities reporting under TRI are transferred through pipes or sewers to a POTW. Treatment or removal of a chemical from the wastewater depends upon the nature of the chemical, as well as the treatment methods present at the POTW. In general, chemicals that are easily utilized as nutrients by microorganisms, or have a low solubility in water, are likely to be removed to some extent. Chemicals that are volatile and have a low solubility in water may evaporate into the atmosphere. Not all TRI chemicals can be treated or removed by a POTW. Some chemicals, such as metals, may be removed, but are not destroyed and may be disposed of in landfills or discharged to receiving waters.

Transfers Off-site for Recycling. Toxic chemicals in waste that are sent off-site for the purposes of recycling are generally recovered or regenerated by a variety of recycling methods, including solvent recovery, metals recovery, and acid regeneration. The choice of the recycling method depends on the toxic chemical being sent for recycling. Once they have been recycled, these chemicals may be returned to the originating facility for further processing or made available for use in commerce.

Transfers Off-site for Energy Recovery. Toxic chemicals in waste sent off-site for purposes of energy recovery are combusted off-site in industrial furnaces (including kilns) or boilers that generate heat or energy for use at that location. Treatment of a chemical by incineration is not considered to be energy recovery.

Transfers Off-site for Treatment. Toxic chemicals in waste that are transferred off-site may be treated through a variety of methods, including biological treatment, neutralization, incineration, and physical separation. These methods typically result in varying degrees of destruction of the toxic chemical. In some cases (such as stabilization or solidification), the chemical is not destroyed but is prepared for further waste management, such as contained disposal.

Transfers Off-site for Disposal. Toxic chemicals in waste that are transferred to a facility for disposal generally are either released to land (see Box 1-1) at an off-site facility or are injected underground.

Other Off-site Transfers. In this report, toxic chemicals in waste that were reported as transferred off-site but for which the off-site activity (i.e., treatment, disposal, energy recovery, or recycling) was not specified or was not an accepted code have been classified as "other off-site transfers."

Box 4-2. An Explanation of Transfers.

- As a result, smaller releases of a persistent highly toxic chemical may create a more serious problem than larger releases of a chemical that is rapidly converted to a less toxic form.
- Bioconcentration of the chemical in the food chain.

As a chemical becomes incorporated in the food chain, it may concentrate or disperse as it moves up the food chain.

 Some chemicals, such as mercury, will accumulate as they move up the food chain.



- Small releases of a chemical that bioaccumulates may result in significant exposures to consumers.
- The environmental medium (air, water, land, or underground injection) to which the toxic chemical has been released.

Chemical exposure of a population depends on the environmental medium to which a chemical is released. The medium also affects the types of exposures possible, such as inhalation, dermal exposure, or ingestion.

- Releases of a chemical to the air can result in exposures to organisms living near and downwind from facilities releasing toxic chemicals to the atmosphere. Persistent chemicals may fall or be rained out of air onto land or into water bodies, resulting in exposures via these environmental media.
- Exposures that may result from releases to water bodies (streams, lakes, etc.) depend in part on the downstream uses of the water, including drinking, cooking, and bathing.
- Injection of toxic chemicals into properly designed and constructed Class I wells will result in substantially lower exposure potential than more direct forms of environmental release. These wells are designed to entomb liquid wastes for at least 10,000 years.
- The type of off-site facility receiving the chemical and the efficiency of its waste management practices.

The amount of a toxic chemical that ultimately enters the environment depends upon how the chemical was handled during disposal, treatment, energy recovery, or recycling activities. Several factors to keep in mind when considering amounts sent off-site are presented below.

- The efficiency of recycling operations varies depending upon the method of recycling and the chemical being recycled.
- Use of a combustible toxic chemical for energy recovery typically results in the destruction of 95% to 99% or more of the toxic chemical. The remaining quantity may be either released to air or disposed of in ash to land.
- The efficiency of the treatment of toxic chemicals in waste sent to sewage treatment plants varies depending on the chemical and the sewage plant. Some high-volume pollutants such as methanol are readily degraded by most sewage treatment plants. Other high-volume chemicals such as ammonia are not readily treated by most sewage treatment plants and will pass through the plant into the aquatic environment. The efficiency of other treatment methods, such as incineration, also depends upon the specifications of the treatment facility and the nature of the chemical.
- Toxic chemicals in waste sent off-site for disposal are typically released to land or injected underground.

Further information on the use of TRI data in determining potential risks can be found in "Toxic Chemical Risk Screening Guide" (EPA 560/2-89-002), July 1989.

1995 NATIONAL OVERVIEW

In this chapter, all chemicals reported under TRI are discussed and analyzed, including those added in the chemical expansion for the 1995



| 1995 Releases Total Releases | Pounds 2,208,749,411 |
|---------------------------------|----------------------|
| Fugitive Air | 385,094,609 |
| Point Source Air | 1,177,227,504 |
| Surface Water | 136,315,624 |
| Underground Injection | 234,979,709 |
| On-site Land Releases | 275,131,965 |

Table 4-1. TRI Releases, 1995.

| 1995 Transfers Total Transfers | Pounds 3,534,827,951 |
|-----------------------------------|----------------------|
| Transfers to Recycling | 2,213,731,389 |
| Transfers to Energy Recovery | 512,029,726 |
| Transfers to Treatment | 287,576,863 |
| Transfers to POTWs | 239,836,516 |
| Transfers to Disposal | 279,222,397 |
| Other Off-site Transfers 2 | 2,431,060 |

Table 4-2. TRI Transfers, 1995.

reporting year. Chapter 5 examines chemical reporting over time, using only those chemicals required to be reported in the prior years.

In 1995, 21,951 facilities filed 73,311 TRI reporting forms. These facilities reported releasing nearly 2.21 billion pounds of toxic chemicals into the environment (see Table 4-1). This includes amounts released directly to the air, water, or land, as well as disposal of toxic chemicals on-site in landfills, impoundments, waste piles, and underground injection wells.




Figure 4-1. Distribution of TRI Releases, 1995.




Figure 4-2. Distribution of TRI Transfers, 1995.

Air emissions totaled 1.56 billion pounds, or 70.7% of all releases in 1995 (see Figure 4-1). Facilities report their air releases as either point source (stack) emissions or as fugitive (non-point source) emissions. Three-quarters (75.4%) of air releases reported to TRI in 1995 were point source emissions.

Facilities discharged 136.3 million pounds of toxic chemicals into the nation's rivers, lakes, bays, and other bodies of water in 1995. This represents 6.2% of all releases in 1995. Nearly 235.0 million pounds (10.6%) of toxic chemi-



cals were injected into underground wells, and 275.1 million pounds (12.5%) were released to land. These tables represent underground injection as a release to the environment.

Facilities sent 3.53 billion pounds of toxic chemicals to off-site locations for treatment, disposal, energy recovery, and recycling in 1995 (see Table 4-2). The great majority of these off-site transfers (2.21 billion pounds, or 62.6%) was sent off-site to be recycled (see Figure 4-2). Another 512.0 million pounds (14.5%) of toxic chemicals were sent off-site to be burned for energy recovery. Transfers to other locations for treatment totaled 287.6 million pounds, or 8.1%, while transfers to Publicly Owned Treatment Works (POTWs, or sewage treatment plants) totaled 239.8 million pounds, or 6.8%. Transfers of toxic chemicals off-site for disposal totaled 279.2 million pounds, or 7.9%. An additional 2.4 million pounds of toxic chemicals reported as transferred off-site were reported with no waste management codes or invalid codes and are listed as "Other Off-site Transfers."

"Form A" Reporting

Of the 73,311 TRI reporting forms submitted in 1995, 6,437 are "certification" forms that do not report amounts of chemical releases, transfers, and on-site waste management activities. EPA established a reduced reporting option, beginning in 1995, for facilities that meet TRI reporting thresholds for a listed chemical (manufacturing or processing 25,000 pounds or otherwise using 10,000 pounds), but whose "total annual reportable amount" for that chemical does not exceed 500 pounds. The total annual reportable amount is the sum of the waste management categories that would be reported to TRI. Waste management categories include: quantities released (including disposal), recovered as a result of recycling operations, combusted for energy recovery, or treated at the

facility, plus amounts transferred off-site for recycling, energy recovery, treatment, and/or disposal. These amounts correspond to total production-related waste in this report.

A facility that does not exceed the 500-pound criterion and does not manufacture, process, or otherwise use more than 1 million pounds of the chemical during the year is eligible to submit a "certification" form. This form identifies the facility and chemical but does not require reporting of any amounts. The number of these forms submitted appears as "Form As" on the tables in this chapter.

TRI CHEMICAL EXPANSION FOR THE 1995 REPORTING YEAR

Beginning with the 1995 reporting year, EPA added 286 chemicals and chemical categories to TRI, nearly doubling its previous chemical coverage (see Box 4-3.). As shown in Table 4-3, releases of the newly added chemicals totaled 237.7 million pounds, which represents one tenth (10.8%) of releases reported for all TRI chemicals in 1995. Off-site transfers totaled 155.1 million pounds, a much smaller portion (4.4%) of transfers reported for all TRI chemicals. As discussed later in this chapter, total production-related waste of the new chemicals account for 32.2% of production-related waste of all chemicals.

Facilities submitted 4,410 forms on the added chemicals; one in seven were Form As. Average releases per Form R for the new chemicals was almost double the average releases per Form R for all TRI chemicals reported in 1995. The pounds/Form R are 63,359 for the new chemicals and 33,029 for all TRI chemicals. There were 499 facilities that reported only on the new chemicals—2.3% of all facilities that reported in 1995.



Table 4-3. TRI Releases and Transfers, Newly Added Chemicals Compared to Other TRI Chemicals, 1995.

| | Newly Added Chemicals Number | All TRI Chemicals Number | Newly Added as Percent of All TRI Chemicals Percent |
|------------------------------|------------------------------------|--------------------------------|--|
| Total Forms | 4,410 | 73,311 | 6.0 |
| Form As | 658 | 6,437 | 10.2 |
| | Pounds | Pounds | Percent |
| Total Air Emissions | 89,474,626 | 1,562,322,113 | 5.7 |
| Fugitive Air | 26,370,105 | 385,094,609 | 6.8 |
| Point Source Air | 63,104,521 | 1,177,227,504 | 5.4 |
| Surface Water Discharges | 90,243,306 | 136,315,624 | 66.2 |
| Underground Injection | 54,116,863 | 234,979,709 | 23.0 |
| On-site Land Releases | 3,887,775 | 275,131,965 | 1.4 |
| Total Releases | 237,722,570 | 2,208,749,411 | 10.8 |
| Transfers to Recycling | 29,473,788 | 2,213,731,389 | 1.3 |
| Transfers to Energy Recovery | 24,832,143 | 512,029,726 | 4.8 |
| Transfers to Treatment | 31,029,283 | 287,576,863 | 10.8 |
| Transfers to POTWs | 59,387,743 | 239,836,516 | 24.8 |
| Transfers to Disposal | 10,357,700 | 279,222,397 | 3.7 |
| Other Off-site Transfers 3 | 7,734 | 2,431,060 | 0.3 |
| Total Transfers | 155,088,391 | 3,534,827,951 | 4.4 |
| Total Releases and Transfers | 392,810,961 | 5,743,577,362 | 6.8 |

Number of Chemicals Added for the Reporting Year 1995

On November 30, 1994, EPA finalized a rule that added 286 chemicals and chemical categories to the EPCRA section 313 list of toxic chemicals. The 286 number includes 243 individually listed chemicals, 19 chemicals in the polycyclic aromatic compounds (PACs) category, 20 chemicals in the diisocyanates category, and four other chemical categories. Counting the diisocyanates category and the PACs category as two new categories rather than as 39 chemicals, the number of chemicals and chemical categories added is 249 (243 individually listed chemicals and six chemical categories). However, in the spring of 1996, three chemicals [dimethyldichlorosilane (CAS# 75-78-5), methyltrichlorosilane (CAS# 75-79-6), and trimethylchlorosilane (CAS# 75-77-4)] were voluntarily remanded from the list. In addition, one chemical [2,2-dibromo-3-nitrilopropionamide (CAS# 10222-01-2)] is under an administrative stay and was not reportable for the 1995 reporting year. Therefore, the number of new chemicals and chemical categories reportable for the 1995 reporting year is 282. While the two categories, diisocyanates and polycyclic aromatic compounds, list 39 chemicals out of the 282, the 39 chemicals are not reported separately. One Form R is submitted for all chemicals in each of the categories. These two categories are the only ones of the TRI categories that list individual chemicals.

Box 4-3. Number of Chemicals Added for the Reporting Year 1995

3 Transfers reported without valid waste management codes.



EPA sees many benefits of the information reported for the newly added chemicals. For example, many of these newly added chemicals are chemicals potentially affecting children's health, others are carcinogens and toxic chemicals used as pesticides, and some are released in great quantities to the air, potentially affecting air quality and respiratory health. However, the volume of reported releases is only one important piece of information. It must be combined with hazard and exposure data for a chemical. The original TRI list of chemicals captured most of the high production volume chemicals, so the reported releases of most newly added chemicals are lower, but the newly added chemicals all demonstrate high to moderately high toxicity and the reporting of their releases to the environment provides important right-to-know information.

The chemicals added for the 1995 reporting year were added as a result of efforts to review many different types of chemicals and discern which meet the EPCRA section 313 listing criteria. In performing the chemical expansion, data on the chemicals and chemical categories were reviewed for evidence indicating adverse acute toxicity, carcinogenicity, mutagenicity, developmental and reproductive effects, neurotoxicity, other chronic effects, and environmental effects. Information on environmental fate was also reviewed. For each chemical proposed for addition to EPCRA section 313 in this rulemaking, EPA conducted an extensive hazard assessment to determine whether the chemical met one or more of the EPCRA section 313 (d)(2) listing criteria. Only after this careful review was a final determination made as to whether one of the EPCRA section 313 (d)(2) listing criteria was met for an individual chemical or chemical category. EPA need only show that one of the listing criteria is met in order to list a chemical or chemical category

under EPCRA section 313, therefore the proposed and final rules that added these chemicals did not necessarily address all endpoints of concern for a particular chemical.

Although only 6.0% of all forms submitted were for newly added chemicals, they account for two thirds (66.2%) of all surface water discharges and 23.0% of underground injections, as Table 4-3 illustrates. One addition to the TRI list for 1995 accounts for most of this difference: More nitrate compounds, newly reportable in 1995, are discharged to water than any other chemical on the TRI list (88.5 million pounds). Nitrate compounds are also the chemical most reported—among all TRI chemicals—as injected to underground wells (46.3 million pounds).

This reporting of nitrate compounds significantly influences the distribution by type of release for newly added chemicals, as compared to that of other TRI chemicals (see Table 4-4). Surface water discharges account for 38.0% of releases reported for the 286 new chemicals and chemical categories, but only 2.3% of the releases reported for all other TRI chemicals. Facilities also reported underground injection amounting to 22.8% of all releases for the new chemicals, compared to 9.2% for other TRI chemicals.

Table 4-5 shows the differences in distribution of transfers (by waste management activity) of the chemicals added for the 1995 reporting year, compared to chemicals already on the TRI list. Transfers to POTWs account for 38.3% of transfers for the new chemicals, compared to 5.3% for other TRI chemicals. Transfers to treatment represent 20.0% of all transfers of added chemicals and 7.6% of transfers of previously reportable chemicals. For the newly added chemicals, transfers to recycling and energy recovery are correspondingly smaller.



Table 4-4. TRI Releases by Release Type, Newly Added Chemicals Compared to Other TRI Chemicals, 1995.

| | Newly Added Chemicals Pounds | Percent of Total Percent | Other TRI Chemicals Pounds | Percent of Total Percent | All TRI Chemicals Pounds | Percent of Total Percent |
|--------------------------|------------------------------------|--------------------------------|----------------------------------|--------------------------------|--------------------------------|--------------------------------|
| Total Air Emissions | 89,474,626 | 37.6 | 1,472,847,487 | 74.7 | 1,562,322,113 | 70.7 |
| Fugitive Air | 26,370,105 | 11.1 | 358,724,504 | 18.2 | 385,094,609 | 17.4 |
| Point Source Air | 63,104,521 | 26.5 | 1,114,122,983 | 56.5 | 1,177,227,504 | 53.3 |
| Surface Water Discharges | 90,243,306 | 38.0 | 46,072,318 | 2.3 | 136,315,624 | 6.2 |
| Underground Injection | 54,116,863 | 22.8 | 180,862,846 | 9.2 | 234,979,709 | 10.6 |
| On-site Land Releases | 3,887,775 | 1.6 | 271,244,190 | 13.8 | 275,131,965 | 12.5 |
| Total Releases | 237,722,570 | 100.0 | 1,971,026,841 | 100.0 | 2,208,749,411 | 100.0 |

Table 4-5. TRI Transfers by Waste Management Activity, Newly Added Chemicals Compared to Other TRI Chemicals, 1995.

| | Newly Added Chemicals Pounds | Percent of Total Percent | Other TRI Chemicals Pounds | Percent of Total Percent | All TRI Chemicals Pounds | Percent of Total Percent |
|------------------------------|------------------------------------|--------------------------------|----------------------------------|--------------------------------|--------------------------------|--------------------------------|
| Transfers to Recycling | 29,473,788 | 19.0 | 2,184,257,601 | 64.6 | 2,213,731,389 | 62.6 |
| Transfers to Energy Recovery | 24,832,143 | 16.0 | 487,197,583 | 14.4 | 512,029,726 | 14.5 |
| Transfers to Treatment | 31,029,283 | 20.0 | 256,547,580 | 7.6 | 287,576,863 | 8.1 |
| Transfers to POTWs | 59,387,743 | 38.3 | 180,448,773 | 5.3 | 239,836,516 | 6.8 |
| Transfers to Disposal | 10,357,700 | 6.7 | 268,864,697 | 8.0 | 279,222,397 | 7.9 |
| Other Off-site Transfers 4 | 7,734 | 0.0 | 2,423,326 | 0.1 | 2,431,060 | 0.1 |
| Total Transfers | 155,088,391 | 100.0 | 3,379,739,560 | 100.0 | 3,534,827,951 | 100.0 |

1995 TRI DATA BY STATE

Tables 4-6 and 4-7 present the distribution of TRI releases and transfers by state. No reports were received in 1995 for the Northern Mariana Islands.

The top states for total releases for 1995 reporting were Texas with 283.9 million pounds, Louisiana with 172.3 million pounds, Ohio with 121.9 million pounds, Tennessee with 111.2 million pounds, and Alabama with 102.8 million pounds. Third-ranked Ohio had the largest number of reporting facilities (1,623) and Form As (485) in 1995, but Texas had a greater

number of total forms (5,705). California, with the second largest number of reporting facilities (1,478) and the fourth largest number of total forms (4,151), ranked 19th for total releases. In contrast, Louisiana had 314 reporting facilities—fewer than 25 other states—but ranked second for total releases.

States reporting the largest volumes to individual media in 1995 were Texas, 128.7 million pounds emitted to air and 118.9 million pounds injected underground; Louisiana 28.3 million pounds discharged to surface water; and Montana, 39.4 million pounds released on-site to land.

Transfers reported without valid waste management codes.



Table 4-6. TRI Releases by State, 1995 (Alphabetically Ordered).

| State | Facilities Number | Total Forms Number | Form As Number | Total Air Emissions Pounds | Surface Water Discharges Pounds | Underground Injection Pounds | Releases to Land Pounds | Total Releases Pounds |
|------------------------|----------------------|--------------------------|-------------------|-------------------------------------|--|------------------------------------|-------------------------------|-----------------------------|
| Alabama | 520 | 1,927 | 212 | 91,867,818 | 3,589,626 | 16 | 7,307,586 | 102,765,046 |
| Alaska | 10 | 40 | 6 | 5,405,584 | 1,070,617 | 193 | 483,911 | 6,960,305 |
| American Samoa | 1 | 1 | 0 | 5,300 | 0 | 0 | 0 | 5,300 |
| Arizona | 187 | 491 | 48 | 7,306,986 | 4,829 | 14 | 28,520,806 | 35,832,635 |
| Arkansas | 387 | 1,260 | 117 | 29,792,097 | 916,093 | 2,637,068 | 1,336,719 | 34,681,977 |
| California | 1,478 | 4,151 | 348 | 36,819,632 | 2,641,665 | 478,974 | 2,786,805 | 42,727,076 |
| Colorado | 182 | 495 | 78 | 4,159,933 | 294,179 | 0 | 121,314 | 4,575,426 |
| Connecticut | 329 | 958 | 43 | 7,179,523 | 1,489,456 | 0 | 95,110 | 8,764,089 |
| Delaware | 71 | 243 | 29 | 4,209,960 | 286,148 | 0 | 14,327 | 4,510,435 |
| District of Columbia | 3 | 5 | 0 | 10,460 | 255 | 0 | 19,000 | 29,715 |
| Florida | 528 | 1,384 | 160 | 32,028,305 | 821,305 | 25,343,332 | 25,779,920 | 83,972,862 |
| Georgia | 718 | 2,259 | 381 | 47,606,516 | 6,345,066 | 0 | 1,572,312 | 55,523,894 |
| Guam | 1 | 1 | 0 | 0 | 3,100 | 0 | 0 | 3,100 |
| Hawaii | 16 | 57 | 11 | 443,607 | 1,510 | 24,306 | 545 | 469,968 |
| Idaho | 60 | 183 | 10 | 4,689,903 | 1,390,186 | 0 | 2,107,947 | 8,188,036 |
| Illinois | 1,334 | 4,489 | 419 | 70,935,342 | 5,779,855 | 365 | 23,037,696 | 99,753,258 |
| Indiana | 1,008 | 3,299 | 221 | 70,573,627 | 2,357,535 | 3,398 | 6,843,418 | 79,777,978 |
| Iowa | 410 | 1,184 | 109 | 29,600,556 | 3,783,443 | 0 | 1,381,081 | 34,765,080 |
| Kansas | 279 | 952 | 71 | 19,450,900 | 394,121 | 1,674,129 | 1,297,174 | 22,816,324 |
| Kentucky | 418 | 1,560 | 98 | 40,703,729 | 432,680 | 0 | 788,794 | 41,925,203 |
| Louisiana | 314 | 2,118 | 159 | 84,841,485 | 28,268,576 | 54,494,533 | 4,654,598 | 172,259,192 |
| Maine | 92 | 325 | 38 | 9,242,209 | 610,781 | 0 | 314,865 | 10,167,855 |
| Maryland | 194 | 610 | 74 | 8,868,815 | 1,881,350 | 0 | 2,571,728 | 13,321,893 |
| Massachusetts | 509 | 1,424 | 125 | 7,996,222 | 116,200 | 0 | 28,631 | 8,141,053 |
| Michigan | 903 | 3,303 | 208 | 62,996,379 | 653,999 | 7,566,827 | 4,046,748 | 75,263,953 |
| Minnesota | 493 | 1,340 | 142 | 21,559,433 | 375,055 | 0 | 525,136 | 22,459,624 |
| Mississippi | 322 | 1,086 | 99 | 44,048,247 | 8,373,840 | 82,251 | 4,250,916 | 56,755,254 |
| Missouri | 568 | 1,902 | 176 | 31,778,685 | 3,282,973 | 0 | 14,585,208 | 49,646,866 |
| Montana | 27 | 154 | 11 | 4,374,595 | 96,659 | 0 | 39,420,586 | 43,891,840 |
| Nebraska | 164 | 490 | 64 | 10,014,706 | 283,104 | 0 | 660,179 | 10,957,989 |
| Nevada | 36 | 91 | 8 | 1,349,667 | 0 | 0 | 2,209,741 | 3,559,408 |
| New Hampshire | 99 | 274 | 40 | 2,472,394 | 79,718 | 0 | 10,960 | 2,563,072 |
| New Jersey | 607 | 2,170 | 214 | 12,728,407 | 1,632,366 | 5 | 284,578 | 14,645,356 |
| New Mexico New York | 37 723 | 155 | 13 155 | 1,892,903 30,045,576 | 1,153 5,334,499 | 0 5 | 16,812,196 1,192,979 | 18,706,252 |
| North Carolina | 874 | 2,138 2,609 | 257 | 65,805,573 | 2,622,401 | 0 | 1,192,979 | 36,573,059 86,160,483 |
| North Dakota | 35 | 2,609 92 | 13 | 2,538,973 | 21,589 | 0 | 1,732,309 | 2,561,837 |
| Ohio | 1,623 | 5,442 | 485 | 73,749,306 | 3,433,797 | 14,469,938 | 30,217,526 | 121,870,567 |
| Oklahoma | 270 | 838 | 70 | 23,563,664 | 718,224 | 10.238 | 661,337 | 24,953,463 |
| Oregon | 261 | 735 | 54 | 18,949,703 | 597,554 | 0 | 1,647,454 | 21,194,711 |
| Pennsylvania | 1,213 | 3,961 | 306 | 47,232,633 | 5,487,942 | 0 | 1,539,478 | 54,260,053 |
| Puerto Rico | 163 | 511 | 26 | 9,397,960 | 22,262 | 0 | 4,456 | 9,424,678 |
| Rhode Island | 145 | 378 | 41 | 2,734,284 | 48,475 | 0 | 40 | 2,782,799 |
| South Carolina | 494 | 1,833 | 167 | 51,850,487 | 1,747,320 | 0 | 741,224 | 54,339,031 |
| South Dakota | 72 | 139 | 13 | 1,911,132 | 1,487 | 0 | 387 | 1,913,006 |
| Tennessee | 633 | 2,132 | 163 | 103,130,070 | 1,549,615 | 1,174,570 | 5,328,644 | 111,182,899 |
| Texas | 1,193 | 5,705 | 447 | 128,694,945 | 23,413,945 | 118,850,176 | 12,973,077 | 283,932,143 |
| Utah | 148 | 494 | 70 | 69,215,983 | 16,236 | 0 | 7,089,515 | 76,321,734 |
| Vermont | 38 | 82 | 3 | 547,459 | 2,712 | 0 | 2,674 | 552,845 |
| Virgin Islands | 2 | 26 | 1 | 1,403,451 | 30,876 | 0 | 2,461 | 1,436,788 |
| Virginia | 447 | 1,459 | 102 | 50,856,146 | 872,506 | 0 | 1,184,680 | 52,913,332 |
| Washington | 286 | 896 | 75 | 24,025,989 | 2,367,757 | 0 | 57,224 | 26,450,970 |
| West Virginia | 139 | 690 | 22 | 18,393,929 | 8,665,922 | 1,000 | 296,542 | 27,357,393 |
| Wisconsin | 858 | 2,616 | 210 | 28,534,060 | 2,094,078 | 5 | 549,601 | 31,177,744 |
| Wyoming | 29 | 154 | 25 | 2,786,865 | 8,984 | 8,168,366 | 38,347 | 11,002,562 |
| Total | 21,951 | 73,311 | 6,437 | 1,562,322,113 | 136,315,624 | 234,979,709 | 275,131,965 | 2,208,749,411 |



Table 4-7. TRI Transfers by State, 1995 (Alphabetically Ordered).

| | | Transfers | | | | Other | |
|------------------------|--------------------------|-----------------------|------------------------|------------------------|------------------------|-------------|-------------------------|
| | Transfers | to Energy | Transfers to | Transfers | Transfers | Off-site | Total |
| State | to Recycling | Recovery | Treatment | to POTWs | to Disposal | Transfers 5 | Transfers |
| | Pounds | Pounds | Pounds | Pounds | Pounds | Pounds | Pounds |
| | | | | | | | |
| Alabama | 34,802,196 | 14,368,339 | 6,280,748 | 729,492 | 12,546,578 | 2,320 | 68,729,673 |
| Alaska | 1,320 | 10 | 30 | 0 | 6,030 | 0 | 7,390 |
| American Samoa | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Arizona | 51,003,644 | 982,175 | 9,048,997 | 2,109,541 | 562,822 | 0 | 63,707,179 |
| Arkansas | 55,060,457 | 6,626,109 | 1,887,199 | 262,744 | 1,664,073 | 3,928 | 65,504,510 |
| California | 80,855,326 | 9,017,845 | 11,708,182 | 12,883,050 | 9,191,657 | 10,763 | 123,666,823 |
| Colorado | 11,460,385 | 3,597,064 | 1,139,953 | 680,950 | 298,241 | 250 | 17,176,843 |
| Connecticut | 26,363,774 | 2,398,717 | 7,021,857 | 1,315,127 | 1,548,412 | 2,140 | 38,650,027 |
| Delaware | 17,131,437 | 2,427,102 | 899,151 | 3,212,904 | 94,065 | 0 | 23,764,659 |
| District of Columbia | 13,250 | 0 | 0 | 580 | 27,000 | 0 | 40,830 |
| Florida | 13,274,491 | 1,771,722 | 2,946,893 | 6,099,311 | 2,606,350 | 14,055 | 26,712,822 |
| Georgia | 33,320,605 | 7,982,367 | 3,880,967 | 2,038,831 | 3,532,744 | 1,755 | 50,757,269 |
| Guam | 0 | 0 | 0 | 15,000 | 0 | 0 | 15,000 |
| Hawaii | 113,527 | 5 | 8,604 | 0 | 163,769 | 0 | 285,905 |
| Idaho | 544,954 | 56,571 | 74,190 | 496,515 | 17,517 | 0 | 1,189,747 |
| Illinois | 103,687,255 | 30,932,803 | 13,187,222 | 12,792,226 | 15,783,290 | 3,214 | 176,386,010 |
| Indiana | 211,594,993 | 11,475,570 | 9,691,307 | 2,310,576 | 25,485,924 | 2,605 | 260,560,975 |
| Iowa | 37,052,579 | 4,375,651 | 2,371,689 | 8,467,036 | 1,971,659 | 0 | 54,238,614 |
| Kansas | 41,046,002 | 2,433,777 | 2,637,049 | 646,862 | 6,065,953 | 250 | 52,829,893 |
| Kentucky | 49,671,058 | 7,991,087 | 9,679,176 | 1,610,886 | 2,804,841 | 87,150 | 71,844,198 |
| Louisiana Maine | 52,716,144 2,686,609 | 12,836,007 478,882 | 9,840,800 376,017 | 44,015 | 2,287,543 | 0 | 77,724,509 5,040,802 |
| Maryland | | 1,551,273 | , | 164,308 | 1,334,986 4,832,591 | 0 | 22,629,037 |
| Massachusetts | 10,983,751 26,684,031 | 6,079,182 | 2,173,159 5,605,727 | 3,088,263 6,112,395 | 1,261,503 | 1,005 | 45,743,843 |
| Michigan | 112,624,083 | 66,466,971 | 20,167,166 | 11,244,415 | 29,418,954 | 1,003 | 239,922,589 |
| Minnesota | 21,179,660 | 2,569,785 | 876,267 | 7,691,857 | 1,426,322 | 300 | 33,744,191 |
| Mississippi | 32,918,871 | 3,361,417 | 1,959,295 | 767,536 | 1,801,727 | 1,852,705 | 42,661,551 |
| Missouri | 57,354,293 | 25,388,101 | 9,012,053 | 7,018,899 | 3,763,234 | 6,800 | 102,543,380 |
| Montana | 139,551 | 20,852 | 34,269 | 992 | 38,306 | 0,000 | 233,970 |
| Nebraska | 31,002,181 | 644,319 | 332,644 | 380,366 | 3,742,551 | 0 | 36,102,061 |
| Nevada | 2,016,251 | 6,736 | 2,919 | 7,537 | 57,099 | 0 | 2,090,542 |
| New Hampshire | 10,205,010 | 387,691 | 377,326 | 127,841 | 79,647 | 0 | 11,177,515 |
| New Jersey | 47,204,077 | 31,003,038 | 8,022,019 | 22,531,441 | 1,649,366 | 6,696 | 110,416,637 |
| New Mexico | 877,976 | 304,736 | 70,387 | 322,601 | 76,940 | 0 | 1,652,640 |
| New York | 74,663,319 | 10,783,379 | 5,892,797 | 7,576,893 | 4,739,214 | 720 | 103,656,322 |
| North Carolina | 96,766,275 | 10,824,835 | 12,363,268 | 3,137,648 | 3,694,773 | 12,649 | 126,799,448 |
| North Dakota | 1,134,677 | 23,517 | 20,066 | 639,553 | 23,796 | 0 | 1,841,609 |
| Ohio | 218,318,041 | 38,110,541 | 17,335,393 | 16,019,258 | 28,925,166 | 160,395 | 318,868,794 |
| Oklahoma | 20,347,336 | 3,016,680 | 907,811 | 155,133 | 3,502,678 | 250 | 27,929,888 |
| Oregon | 21,298,486 | 1,067,693 | 4,564,370 | 9,656,048 | 1,328,699 | 23,842 | 37,939,138 |
| Pennsylvania | 139,094,454 | 16,927,716 | 19,230,368 | 8,074,292 | 57,577,916 | 172,048 | 241,076,794 |
| Puerto Rico | 11,728,018 | 10,162,069 | 5,905,827 | 2,607,497 | 411,369 | 0 | 30,814,780 |
| Rhode Island | 14,159,508 | 874,836 | 515,617 | 439,410 | 451,381 | 250 | 16,441,002 |
| South Carolina | 101,510,186 | 10,500,648 | 5,764,675 | 3,885,743 | 3,499,310 | 0 | 125,160,562 |
| South Dakota | 682,774 | 158,806 | 116,964 | 444,246 | 90,911 | 0 | 1,493,701 |
| Tennessee | 58,195,383 | 5,961,992 | 5,695,820 | 4,746,374 | 8,230,485 | 34,804 | 82,864,858 |
| Texas | 133,162,715 | 106,463,123 | 49,449,843 | 41,325,733 | 12,871,575 | 29,166 | 343,302,155 |
| Utah | 5,856,703 | 97,386 | 584,532 | 506,295 | 500,982 | 0 | 7,545,898 |
| Vermont | 1,715,551 | 19,461 | 292,141 | 3,789 | 28,396 | 0 | 2,059,338 |
| Virgin Islands | 122,698 | 51,700 | 192,129 | 0 | 2 105 457 | 0 | 366,532 |
| Virginia Washington | 34,741,028 | 7,732,970 | 2,286,989 | 16,429,787 | 2,105,457 | 0 | 63,296,231 |
| Washington | 14,176,731 | 671,708 | 647,512 | 2,560,092 | 1,618,149 | 0 | 19,674,192 |
| West Virginia | 35,542,767 | 11,179,882 | 4,176,772 | 2,013,907 | 3,613,503 | 0 | 56,526,831 |
| Wisconsin Wyoming | 54,857,751 | 19,863,268 | 10,319,023 | 4,440,697 24 | 9,859,043 | 0 | 99,339,782 |
| w youning | 67,247 | 1,612 | 1,684 | 2 4 | 7,895 | U | 78,462 |
| Total | 2,213,731,389 | 512,029,726 | 287,576,863 | 239,836,516 | 279,222,397 | 2,431,060 | 3,534,827,951 |

⁵ Transfers reported without valid waste management codes.



Table 4-8. TRI Releases of Newly Added Chemicals Compared to Other TRI Chemicals for Top 10 States with Largest Total Releases, 1995.

| State | Newly Added Chemicals | | Other TRI Chemicals | D 1 | All TRI Chemicals | D 1 |
|----------------|--------------------------|------|------------------------|------|----------------------|------|
| | Pounds | Rank | Pounds | Rank | Pounds | Rank |
| Texas | 58,507,596 | 1 | 225,424,547 | 1 | 283,932,143 | 1 |
| Louisiana | 19,341,166 | 2 | 152,918,026 | 2 | 172,259,192 | 2 |
| Ohio | 6,429,108 | 11 | 115,441,459 | 3 | 121,870,567 | 3 |
| Tennessee | 2,883,321 | 21 | 108,299,578 | 4 | 111,182,899 | 4 |
| Alabama | 3,616,032 | 18 | 99,149,014 | 5 | 102,765,046 | 5 |
| Illinois | 17,154,180 | 3 | 82,599,078 | 6 | 99,753,258 | 6 |
| North Carolina | 4,340,027 | 16 | 81,820,456 | 7 | 86,160,483 | 7 |
| Florida | 14,109,358 | 4 | 69,863,504 | 11 | 83,972,862 | 8 |
| Indiana | 6,909,739 | 10 | 72,868,239 | 10 | 79,777,978 | 9 |
| Utah | 99,522 | 45 | 76,222,212 | 8 | 76,321,734 | 10 |
| Subtotal | 133,390,049 | | 1,084,606,113 | | 1,217,996,162 | |
| Total | 237,722,570 | | 1,971,026,841 | | 2,208,749,411 | |

Texas reported more total off-site transfers than any other state, 343.3 million pounds in 1995. Other states in the top five were Ohio (318.9 million pounds), Indiana (260.6 million pounds), Pennsylvania (241.1 million pounds), and Michigan (239.9 million pounds).

According to the transfer destination code, the largest states reporting were Ohio, whose facilities transferred 218.3 million pounds for recycling (followed by Indiana with 211.6 million pounds); Texas, with 106.5 million pounds to energy recovery, 49.4 million pounds to treatment, and 41.3 million pounds to POTWs; and Pennsylvania, 57.6 million pounds disposed of off-site.

Newly Reportable Chemicals, by State

Tables 4-8 and 4-9 compare reporting for new chemicals and previously reportable TRI chemicals for the top 10 states for total releases and for total transfers.

Facilities in Texas reported the largest total releases of both new chemicals and previously reportable chemicals in 1995, and Louisiana similarly ranked second for both new and prior TRI chemicals. Illinois was third for releases of new chemicals and sixth for releases of other TRI chemicals. Only one of the top 10 states for total releases would not remain in the top 10 without the additional chemicals. Florida would drop from eighth to 11th, and Michigan would move into the top 10.

For total transfers, the only effect of the additional reporting on the ranking of the top 10 states is that Texas and Ohio—first and second for total transfers—would exchange ranks if the new chemicals were excluded.

Texas facilities accounted for a significantly higher percentage of the new-chemical reporting than for other TRI chemicals. Texas reported 24.6% of total releases of added chemicals versus 11.4% of releases of other TRI chemicals. Texas also reported 30.9% of total transfers of added chemicals versus 8.7% of transfers of other chemicals.



Table 4-9. TRI Transfers of Newly Added Chemicals Compared to Other TRI Chemicals for Top 10 States with Largest Total Transfers, 1995.

| State | Newly Added Chemicals Pounds | Rank | Other TRI Chemicals Pounds | Rank | All TRI Chemicals Pounds | Rank |
|----------------|------------------------------------|------|----------------------------------|------|--------------------------------|------|
| Texas | 47,864,893 | 1 | 295,437,262 | 2 | 343,302,155 | 1 |
| Ohio | 10,827,446 | 2 | 308,041,348 | 1 | 318,868,794 | 2 |
| Indiana | 9,793,203 | 3 | 250,767,772 | 3 | 260,560,975 | 3 |
| Pennsylvania | 2,923,686 | 14 | 238,153,108 | 4 | 241,076,794 | 4 |
| Michigan | 9,511,395 | 4 | 230,411,194 | 5 | 239,922,589 | 5 |
| Illinois | 2,061,380 | 19 | 174,324,630 | 6 | 176,386,010 | 6 |
| North Carolina | 4,441,353 | 10 | 122,358,095 | 8 | 126,799,448 | 7 |
| South Carolina | 1,652,559 | 22 | 123,508,003 | 7 | 125,160,562 | 8 |
| California | 4,907,966 | 8 | 118,758,857 | 9 | 123,666,823 | 9 |
| New Jersey | 2,519,064 | 17 | 107,897,573 | 10 | 110,416,637 | 10 |
| Subtotal | 96,502,945 | | 1,969,657,842 | | 2,066,160,787 | |
| Total | 155,088,391 | | 3,379,739,560 | | 3,534,827,951 | |

1995 TRI DATA BY INDUSTRY

Tables 4-10 and 4-11 present TRI releases and transfers by industry group, in the order of their Standard Industrial Classification (SIC) codes. On TRI Form Rs and Form As, facilities report their SIC codes at the four-digit level—for example, SIC code 2873, Nitrogenous Fertilizers. These specific industries are grouped into broader categories at the three-digit and two-digit SIC code levels; for example, Nitrogenous Fertilizers falls into the Agricultural Chemicals group at the three-digit level (SIC code 287) and the Chemicals and Allied Products major group (28). The two tables present the data aggregated by two-digit major groups.

Only manufacturing facilities in major SIC groups 20 through 39 are presently required by law to report to TRI. In addition, Presidential Executive Order 12856 requires all federal facilities to report to TRI.

TRI reporting forms allow facilities to report more than one SIC code to fully characterize their operations. Facilities that reported two or more two-digit SIC codes (major groups) within the manufacturing range of 20-39 [for example, petroleum (29) and chemicals (28)] are assigned to a "multiple codes" category. Facilities reporting no SIC code or SIC codes outside the 20-39 range are assigned to a "no codes" category. Federal facilities may fall in a variety of SIC code groupings, both within and outside of the manufacturing SIC code range. In fact, many federal facilities do not conduct any manufacturing activities. In Tables 4-10 and 4-11, federal facility data are included under the SIC code they reported or under the "multiple codes" or "no codes" categories, as appropriate.

Industry groups with the largest quantities of on-site TRI releases in 1995 were chemicals (787.8 million pounds), primary metals (331.2 million pounds), and paper (233.2 million pounds). TRI facilities also submitted 5,207 forms that indicated multiple SIC code combinations. These forms contained information on 149.7 million pounds of total releases, the fourth-largest total for any industry group.

Table 4-10. TRI Releases by Industry, 1995.

| SIC Code Industry | Facilities 6 | Total Forms Number | Form As | | Surface Water Discharges Pounds | Underground Injection Pounds | Releases to Land Pounds | Total Releases Pounds |
|--------------------------|--------------|--------------------------|---------|--------------|--|------------------------------------|-------------------------------|-----------------------------|
| 20 Food | 2,019 | 3,603 | 926 | 74,007,718 | 6,358,763 | 23,010 | 5,623,373 | 86,012,864 |
| 21 Tobacco | 24 | 49 | 0 | 1,737,376 | 10,105 | 0 | 135 | 1,747,616 |
| 22 Textiles | 356 | 736 | 51 | 17,489,856 | 268,850 | 0 | 6,903 | 17,765,609 |
| 23 Apparel | 23 | 45 | 1 | 1,258,927 | 5 | 0 | 250 | 1,259,182 |
| 24 Lumber | 719 | 1,839 | 362 | 31,211,454 | 66,784 | 0 | 10,970 | 31,289,208 |
| 25 Furniture | 508 | 1,458 | 41 | 40,950,724 | 872 | 0 | 9,608 | 40,961,204 |
| 26 Paper | 487 | 2,344 | 94 | 212,884,480 | 16,919,282 | 220 | 3,421,232 | 233,225,214 |
| 27 Printing | 273 | 534 | 12 | 31,606,383 | 14,372 | 0 | 4,600 | 31,625,355 |
| 28 Chemicals | 3,871 | 21,493 | 2,527 | 407,363,052 | 88,084,777 | 230,313,442 | 61,990,939 | 787,752,210 |
| 29 Petroleum | 400 | 3,244 | 220 | 53,237,132 | 4,140,171 | 2,223,453 | 342,677 | 59,943,433 |
| 30 Plastics | 1,821 | 3,791 | 273 | 111,638,343 | 152,088 | 5 | 428,541 | 112,218,977 |
| 31 Leather | 97 | 249 | 20 | 2,941,286 | 113,360 | 0 | 14,843 | 3,069,489 |
| 32 Stone/Clay/Glass | 625 | 1,606 | 213 | 34,633,269 | 117,731 | 102,063 | 1,189,405 | 36,042,468 |
| 33 Primary Metals | 1,881 | 6,424 | 382 | 137,588,078 | 8,238,266 | 181,974 | 185,191,484 | 331,199,802 |
| 34 Fabricated Metals | 2,918 | 7,765 | 408 | 81,438,563 | 394,468 | 931 | 751,520 | 82,585,482 |
| 35 Machinery | 1,065 | 2,814 | 135 | 22,983,690 | 27,354 | 0 | 148,425 | 23,159,469 |
| 36 Electrical Equip. | 1,250 | 3,281 | 103 | 29,744,174 | 384,391 | 5 | 360,076 | 30,488,646 |
| 37 Transportation Equip. | 1,270 | 4,482 | 158 | 109,346,838 | 275,007 | 0 | 395,888 | 110,017,733 |
| 38 Measure./Photo. | 306 | 763 | 41 | 16,212,842 | 647,407 | 0 | 5,766 | 16,866,015 |
| 39 Miscellaneous | 359 | 792 | 46 | 11,433,809 | 1,505 | 0 | 14,492 | 11,449,806 |
| Multiple codes 20-39 | 1,445 | 5,207 | 377 | 124,419,660 | 9,591,944 | 1,808,850 | 13,831,264 | 149,651,718 |
| No codes 20-39 8 | 234 | 792 | 47 | 8,194,459 | 508,122 | 325,756 | 1,389,574 | 10,417,911 |
| Total | 21,951 | 73,311 | 6,437 1 | ,562,322,113 | 136,315,624 | 234,979,709 | 275,131,965 | 2,208,749,411 |

The chemical industry accounted for 17.6% of all facilities reporting to TRI, 29.3% of all forms filed, and 35.7% of all releases. Chemical manufacturing facilities reported an average of 203,501 pounds of releases, the second-highest rate among all industry groups. In 1995, this industry accounted for a quarter of all reported air emissions (26.1%), two thirds of surface water discharges (64.6%), and almost all of the reported underground injection of waste (98.0%).

The primary metals industry accounted for 8.6% of all facilities and 8.8% of all forms; however,

this industry accounted for 15.0% of releases. The primary metals industry reported an average of 176,076 pounds of releases per facility, the third highest rate among all industry groups. This industry accounted for two thirds (67.3%) of all land releases reported in 1995.

Facilities in the paper industry reported releasing an average of 478,902 pounds of TRI chemicals in 1995, highest of all industry groups. This industry accounted for just 2.2% of all facilities and 3.2% of all forms, yet

Facilities have been assigned to the "multiple" category according to all the SIC codes they reported. Forms and amounts in pounds have been assigned to single-category SIC codes if only one SIC code was reported for an individual chemical form from the facility.

Facilities/forms that reported more than one 2-digit SIC code within the range of 20 to 39 [e.g., paper (26) and chemicals (28)].

³ Facilities/forms that did not report an SIC code or reported SIC codes outside the 20-to-39 range.



Table 4-11. TRI Transfers by Industry, 1995.

| SIC Code Industry | Transfers to Recycling Pounds | Transfers to Energy Recovery Pounds | Transfers to Treatment Pounds | Transfers to POTWs Pounds | Transfers to Disposal Pounds | Other Off-site Transfers Pounds | Total Transfers Pounds |
|--------------------------|-------------------------------------|--|-------------------------------------|---------------------------------|------------------------------------|---------------------------------------|------------------------------|
| 20 Food | 1,105,035 | 191,257 | 982,058 | 22,456,381 | 699,107 | 2,448 | 25,436,286 |
| 21 Tobacco | 100,961 | 1,000 | 6,591 | 364,295 | 269,215 | 0 | 742,062 |
| 22 Textiles | 797,741 | 2,071,309 | 731,324 | 2,815,809 | 581,734 | 0 | 6,997,917 |
| 23 Apparel | 3,021 | 106,707 | 60,300 | 255 | 27,842 | 0 | 198,125 |
| 24 Lumber | 446,362 | 2,645,651 | 524,510 | 29,720 | 2,869,387 | 2,418 | 6,518,048 |
| 25 Furniture | 6,525,939 | 6,928,460 | 796,220 | 122,438 | 107,145 | 250 | 14,480,452 |
| 26 Paper | 5,286,545 | 8,426,010 | 8,968,890 | 41,992,057 | 3,017,880 | 500 | 67,691,882 |
| 27 Printing | 5,575,594 | 3,750,132 | 418,855 | 255,642 | 52,645 | 3,866 | 10,056,734 |
| 28 Chemicals | 241,023,104 | 405,325,944 | 160,192,339 | 115,287,232 | 29,729,498 | 128,629 | 951,686,746 |
| 29 Petroleum | 22,941,629 | 552,946 | 1,066,499 | 5,442,553 | 3,185,648 | 1 | 33,189,276 |
| 30 Plastics | 19,278,629 | 7,465,728 | 3,261,774 | 2,675,590 | 11,755,589 | 48,226 | 44,485,536 |
| 31 Leather | 440,743 | 268,536 | 11,587 | 1,266,405 | 1,439,975 | 0 | 3,427,246 |
| 32 Stone/Clay/Glass | 3,119,009 | 3,283,287 | 2,279,958 | 842,722 | 6,031,690 | 250 | 15,556,916 |
| 33 Primary Metals | 767,649,333 | 3,792,004 | 37,474,772 | 6,550,392 | 169,394,346 | 2,092,032 | 986,952,879 |
| 34 Fabricated Metals | 312,593,205 | 14,317,979 | 11,994,161 | 5,576,081 | 13,078,284 | 65,474 | 357,625,184 |
| 35 Machinery | 62,186,201 | 3,104,826 | 1,703,448 | 2,772,332 | 3,298,363 | 20,055 | 73,085,225 |
| 36 Electrical Equip. | 377,488,402 | 11,019,350 | 8,413,162 | 9,194,676 | 9,866,503 | 34,335 | 416,016,428 |
| 37 Transportation Equip. | 162,505,961 | 15,389,751 | 10,962,646 | 4,937,714 | 10,574,766 | 29,466 | 204,400,304 |
| 38 Measure./Photo. | 14,405,710 | 2,330,194 | 3,712,513 | 768,943 | 801,905 | 0 | 22,019,265 |
| 39 Miscellaneous | 18,947,120 | 2,891,485 | 591,612 | 846,019 | 2,048,394 | 2,140 | 25,326,770 |
| Multiple codes 20-39 | 188,139,510 | 16,722,769 | 31,845,959 | 15,021,188 | 9,827,014 | 970 | 261,557,410 |
| No codes 20-39 | 3,171,635 | 1,444,401 | 1,577,685 | 618,072 | 565,467 | 0 | 7,377,260 |
| Total | 2,213,731,389 | 512,029,726 | 287,576,863 | 239,836,516 | 279,222,397 | 2,431,060 | 3,534,827,951 |

reported 10.6% of all releases in 1995. Nearly all (91.3%) of the paper industry's releases in 1995 were in the form of air emissions.

Other industries averaging more than 100,000 pounds of releases per facility were petroleum (149,859 pounds), printing (115,844 pounds), and facilities reporting multiple SIC codes (103,565 pounds). In contrast, facilities in the fabricated metals, electrical equipment, and machinery industries all reported average releases of less than 30,000 pounds per facility.

The industries with the largest quantities of transfers of TRI chemicals in 1995 were primary metals (987.0 million pounds), chemicals (951.7 million pounds), and electrical equipment (416.0 million pounds). Most of the transfers reported by the primary metals and electrical equipment industries were sent to recycling (77.8% and 90.7%, respectively). In contrast, only 25.3% of the chemical industry's transfers went to recycling; another 42.6% was sent for energy recovery. The chemical industry accounted for 79.2% of all transfers to energy recovery.

[•] Transfers reported without valid waste management codes.

Facilities/forms that reported more than one 2-digit SIC code within the range of 20 to 39 [e.g., paper (26) and chemicals (28)].

Facilities/forms that did not report an SIC code or reported SIC codes outside the 20-to-39 range.

1995

Table 4-12. TRI Releases of Newly Added Chemicals Compared to Other TRI Chemicals, by Industry, 1995.

| SIC Code Industry | Newly Added Chemicals Pounds | All TRI Chemicals Pounds | Newly Added as Percent of All TRI Chemicals Percent |
|--------------------------|------------------------------------|--------------------------------|--|
| | | | |
| 20 Food | 56,665,545 | 86,012,864 | 65.9 |
| 21 Tobacco | 370,271 | 1,747,616 | 21.2 |
| 22 Textiles | 866,025 | 17,765,609 | 4.9 |
| 23 Apparel | 13,177 | 1,259,182 | 1.0 |
| 24 Lumber | 133,959 | 31,289,208 | 0.4 |
| 25 Furniture | 246,449 | 40,961,204 | 0.6 |
| 26 Paper | 8,918,722 | 233,225,214 | 3.8 |
| 27 Printing | 216,675 | 31,625,355 | 0.7 |
| 28 Chemicals | 129,221,186 | 787,752,210 | 16.4 |
| 29 Petroleum | 8,613,162 | 59,943,433 | 14.4 |
| 30 Plastics | 4,508,861 | 112,218,977 | 4.0 |
| 31 Leather | 206,619 | 3,069,489 | 6.7 |
| 32 Stone/Clay/Glass | 185,003 | 36,042,468 | 0.5 |
| 33 Primary Metals | 9,044,134 | 331,199,802 | 2.7 |
| 34 Fabricated Metals | 2,191,940 | 82,585,482 | 2.7 |
| 35 Machinery | 234,350 | 23,159,469 | 1.0 |
| 36 Electrical Equip. | 2,226,575 | 30,488,646 | 7.3 |
| 37 Transportation Equip. | 1,251,026 | 110,017,733 | 1.1 |
| 38 Measure./Photo. | 653,957 | 16,866,015 | 3.9 |
| 39 Miscellaneous | 79,466 | 11,449,806 | 0.7 |
| Multiple codes 20-39 | 11,455,141 | 149,651,718 | 7.7 |
| No codes 20-39® | 420,327 | 10,417,911 | 4.0 |
| Total | 237,722,570 | 2,208,749,411 | 10.8 |

Newly Reportable Chemicals, by Industry

As shown on Table 4-12, the chemical industry reported the greatest total releases of new chemicals (129.2 million pounds), which represented 16.4% of its releases of all TRI chemicals. In contrast, the new chemicals accounted for two thirds (65.9%) of the releases reported by the food industry (56.7 million pounds for the added chemicals, out of 86.0 million pounds for all TRI chemicals). Without the new chemicals, the food industry would rank 13th for total releases; with the new reporting, this industry ranks second.

Although the chemical industry ranked second among industries for total transfers, it reported the greatest amount of transfers of the new chemicals: 84.3 million pounds, or 54.4% of all transfers of added chemicals (see Table 4-13). Facilities reporting multiple SIC codes (explained in the industry section, above) transferred 22.0 million pounds of the new chemicals off-site and those in the primary metals industry 12.4 million pounds, second and third among industries, respectively. Reporting of the new chemicals did not generally affect industry rankings for total transfers in 1995, because of the relatively larger amounts of previously reportable TRI chemicals involved.

Facilities/forms that reported more than one 2-digit SIC code within the range of 20-39 [e.g., paper (26) and chemicals (28)].

Facilities/forms that did not report an SIC code or reported SIC codes outside the 20-to-39 range.



Table 4-13. TRI Transfers of Newly Added Chemicals Compared to Other TRI Chemicals, by Industry, 1995.

| SIC Code Industry | Newly Added Chemicals Pounds | All TRI Chemicals Pounds | Newly Added As Percent of All TRI Chemicals Percent |
|----------------------------|------------------------------------|--------------------------------|---|
| 20 Food | 3,843,692 | 25,436,286 | 15.1 |
| 21 Tobacco | 629,441 | 742,062 | 84.8 |
| 22 Textiles | 498,858 | 6,997,917 | 7.1 |
| 23 Apparel | 3,080 | 198,125 | 1.6 |
| 24 Lumber | 468 | 6,518,048 | 0.0 |
| 25 Furniture | 45,575 | 14,480,452 | 0.3 |
| 26 Paper | 760,000 | 67,691,882 | 1.1 |
| 27 Printing | 133,917 | 10,056,734 | 1.3 |
| 28 Chemicals | 84,338,462 | 951,686,746 | 8.9 |
| 29 Petroleum | 174,164 | 33,189,276 | 0.5 |
| 30 Plastics | 3,294,311 | 44,485,536 | 7.4 |
| 31 Leather | 31,413 | 3,427,246 | 0.9 |
| 32 Stone/Clay/Glass | 63,138 | 15,556,916 | 0.4 |
| 33 Primary Metals | 12,365,553 | 986,952,879 | 1.3 |
| 34 Fabricated Metals | 3,279,362 | 357,625,184 | 0.9 |
| 35 Machinery | 2,430,687 | 73,085,225 | 3.3 |
| 36 Electrical Equip. | 10,759,457 | 416,016,428 | 2.6 |
| 37 Transportation Equip. | 8,936,417 | 204,400,304 | 4.4 |
| 38 Measure./Photo. | 826,267 | 22,019,265 | 3.8 |
| 39 Miscellaneous | 399,516 | 25,326,770 | 1.6 |
| Multiple codes 20-39 | 21,957,850 | 261,557,410 | 8.4 |
| No codes 20-39 (5) | 316,763 | 7,377,260 | 4.3 |
| Total | 155,088,391 | 3,534,827,951 | 4.4 |

1995 TRI Data by Federal Facilities

This is the second year that federal facilities have reported to TRI. In 1993, President Clinton issued Executive Order (E.O.) 12856 which mandated that federal facilities report to TRI, starting with the 1994 reporting year. The goal of E.O. 12856 is to extend community right-to-know to the federal government. In addition to filing TRI reports, Executive Order 12856 also instructs federal facilities to meet the other requirements of the Emergency Planning and Community Right-to-Know Act (EPCRA).

E.O. 12856 further stipulates that each federal agency use the 1994 TRI data submitted by their facilities as a baseline for achieving an agencywide 50% reduction by 1999. Each federal agency is responsible for working with their respective federal facilities to reach this goal. In an effort to foster pollution prevention, E.O. 12856 encourages federal facilities to use source reduction wherever practicable to achieve their reductions.

While most federal facilities began reporting to TRI in 1994, some federal facilities submitted TRI reports earlier. For the Department of Energy (DOE), for instance, 1995 is actually the

Facilities/forms that reported more than one 2-digit SIC code within the range of 20-39 [e.g., paper (26) and chemicals (28)].

Facilities/forms that did not report an SIC code or reported SIC codes outside the 20-to-39 range.



Table 4-14. TRI Releases from Federal Facilities, 1995.

| 1995 Releases Total Releases | Pounds 7,926,982 |
|---------------------------------|------------------|
| Fugitive Air | 2,843,691 |
| Point Source Air | 3,192,332 |
| Surface Water | 507,036 |
| Underground Injection | 325,756 |
| On-site Land Releases | 1,058,167 |
| | |

Table 4-15. TRI Transfers from Federal Facilities, 1995.

| 1995 Transfers Total Transfers | Pounds 6,495,255 |
|-----------------------------------|------------------|
| Transfers to Recycling | 4,220,029 |
| Transfers to Energy Recovery | 451,092 |
| Transfers to Treatment | 970,659 |
| Transfers to POTWs | 112,067 |
| Transfers to Disposal | 741,408 |
| Other Off-site Transfers | 0 |

third reporting year. In the spirit of community right-to-know, DOE instructed its facilities to begin filing TRI reports for the 1993 reporting year, a year prior to the date mandated under Executive Order 12856.

For the 1995 reporting year, 144 federal facilities submitted 433 TRI reports. These facilities represented 13 federal agencies. As Table 4-14

shows, the total releases from federal facilities totaled about 7.9 million pounds. Off-site transfers equaled 6.5 million pounds (see Table 4-15).

Like the rest of the reporting community, federal facilities reported that a majority of their releases were to the air. Fugitive and stack air together equaled 76.1% of the total releases. For

Table 4-16. TRI Releases from Federal Facilities, by Federal Agency, 1995.

| Federal Agency | Facilities Number | Total Forms Number | Form As Number | Total Air Emissions Pounds | Surface Water Discharges Pounds | Underground Injection Pounds | Releases to Land Pounds | Total Releases Pounds |
|---------------------------------------|----------------------|--------------------------|-------------------|-------------------------------------|--|------------------------------------|-------------------------------|-----------------------------|
| Dept. of Agriculture | 3 | 4 | 0 | 10 | 0 | 0 | 474,920 | 474,930 |
| Dept. of Defense | 94 | 302 | 9 | 4,626,824 | 477,885 | 5 | 510,641 | 5,615,355 |
| Air Force | 26 | 85 | 4 | 2,979,038 | 186,295 | 5 | 486,507 | 3,651,845 |
| Army | 34 | 120 | 1 | 631,249 | 281,736 | 0 | 4,624 | 917,609 |
| Army Corps of Engineers | 2 | 3 | 0 | 3,110 | 255 | 0 | 19,000 | 22,365 |
| Defense Logistics Agency | 2 | 6 | 0 | 5,101 | 0 | 0 | 250 | 5,351 |
| Marines | 9 | 31 | 0 | 374,988 | 47 | 0 | 3 | 375,038 |
| Navy | 21 | 57 | 4 | 633,338 | 9,552 | 0 | 257 | 643,147 |
| Dept. of Energy | 18 | 54 | 0 | 203,097 | 10,782 | 325,751 | 42,261 | 581,891 |
| Dept. of Health and Human Services | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| Dept. of Interior | 3 | 5 | 2 | 750 | 4,086 | 0 | 0 | 4,836 |
| Dept. of Justice | 3 | 3 | 0 | 19,510 | 13,000 | 0 | 0 | 32,510 |
| Dept. of Transportation | 1 | 2 | 0 | 16,499 | 0 | 0 | 0 | 16,499 |
| Dept. of Treasury | 5 | 8 | 0 | 7,630 | 0 | 0 | 30,000 | 37,630 |
| Dept. of Veterans Affairs | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Environmental Protection Agency | 1 | 2 | 0 | 11 | 0 | 0 | 0 | 11 |
| National Aeronautics and Space Admin. | 7 | 32 | 4 | 473,974 | 0 | 0 | 5 | 473,979 |
| Tennessee Valley Authority | 5 | 8 | 4 | 13,620 | 0 | 0 | 0 | 13,620 |
| U.S. Enrichment Corporation | 2 | 10 | 2 | 674,098 | 1,283 | 0 | 340 | 675,721 |
| Total | 144 | 433 | 21 | 6,036,023 | 507,036 | 325,756 | 1,058,167 | 7,926,982 |

Transfers reported without valid waste management codes.



off-site transfers the reporting patterns of federal facilities differ from the private sector. The total amount that federal facilities reported for off-site transfers were 1.4 million pounds less than the total releases reported by federal facilities. For the private sector, however, total off-site transfers were much larger than total releases.

Analyzing the 1995 data by federal agency provides another picture of reporting patterns. The Department of Defense (DOD), for instance, had a total of 94 facilities submitting 302 TRI forms. The DOD facilities reported a total 5.6 million pounds of releases and 5.7 million pounds of off-site transfers (see Tables 4-16 and 4-17). These numbers translate to 70.8% and 87.7%, respectively, of the total releases and off-site transfers for federal facilities. A primary reason for both the large number of facilities and the amount of releases and transfers relates to the unique function of DOD. Facility activities range from the

manufacture of munitions to the chemicalintensive cleaning of airplane, tank and seagoing vessel parts.

The Department of Energy (DOE) was the next largest agency. Eighteen DOE facilities submitted 54 TRI forms. Total 1995 releases for DOE were 582,000 pounds, representing 7.3% of the total for the federal government. The 103,000 pounds transferred off-site from DOE facilities equals 1.6% of the amount for the federal government. Like DOD, DOE facilities were involved in activities that utilize a number of the reportable toxic chemicals, with the principle function at DOE facilities being the research and development and cleanup of contamination from nuclear weapons production.

With only two reporting facilities and 10 TRI submissions, the U.S. Enrichment Corp. was the agency with the third greatest amount of releases and transfers. Total releases for the two

Table 4-17. TRI Transfers from Federal Facilities, by Federal Agency, 1995.

| Federal Agency | Transfers to Recycling Pounds | Transfers to Energy Recovery Pounds | Transfers to Treatment Pounds | Transfers to POTWs Pounds | Transfers to Disposal Pounds | Other Off-site Transfers Pounds | Total Transfers Pounds |
|---|---|--|---|---|--|---------------------------------------|---|
| Dept. of Agriculture | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Dept. of Defense Air Force Army Army Corps of Engineers Defense Logistics Agency Marines Navy | 3,605,124 497,520 2,691,579 0 276,165 139,860 | 430,162 125,177 128,874 0 0 36,800 139,311 | 945,827 147,464 653,154 0 2,287 81,501 61,421 | 20,552 1,311 1,621 325 0 1,275 16,020 | 692,429 293,494 197,482 0 505 164,849 36,099 | 0 0 0 0 0 | 5,694,094 1,064,966 3,672,710 325 2,792 560,590 392,711 |
| Dept. of Energy Dept. of Health and Human Services Dept. of Interior Dept. of Justice Dept. of Transportation Dept. of Treasury Dept. of Veterans Affairs Environmental Protection Agency National Aeronautics and Space Admin. | 93,535 54,509 20,979 0 0 414,213 0 0 31,669 | 0 0 0 0 1,517 0 0 19,413 | 7,020 603 4,852 0 282 0 0 12,075 | 0 0 0 0 0 0 515 91,000 0 | 2,501 0 0 4,544 27,000 0 14,934 | 0 0 0 0 0 0 0 | 103,056 55,112 25,831 0 6,343 441,728 91,000 0 78,091 |
| Tennessee Valley Authority U.S. Enrichment Corporation Total | 0 0 4,220,029 | 0 0 451,092 | 970,659 | 0 0 112,067 | 0 0 741,408 | 0 0 | 0 0 6,495,255 |

Transfers reported without valid waste management codes.



USEC facilities was 676,000, with no reported off-site transfers. This amount was just below the total releases and transfers reported by DOE facilities. The primary role of the USEC facilities is to process uranium. Once a part of DOE, Congress in 1993 created the USEC as part of an effort to privatize sectors of government activities. While presently in transition to the private sector, the USEC facilities are continuing to report as federal facilities.

1995 TRI DATA BY CHEMICAL

This section presents chemical-specific TRI data for 1995, including information for chemicals newly added for the 1995 reporting year. It also reviews data for two groups of TRI chemicals: metals and chemicals identified as known or suspected carcinogens. Also included is information about the uses, toxicity, and environmental fate of the TRI chemicals with the largest reported releases. At the end of this chapter, Table 4-33 presents release and transfer data for all TRI chemicals for which 1995 reports were received (followed by a table of waste management data for all reported chemicals).

TRI Chemical Expansion in the 1995 Reporting Year

A number of the chemicals among the 286 added for the 1995 reporting year represent chemicals with high releases. Table 4-18 identifies the 20 newly added chemicals with the greatest reported releases in 1995, totalling 236.6 million pounds. Together, they account for almost all releases of the newly added chemicals (99.5%).

Releases of nitrate compounds totaled 137.7 million pounds in 1995, more than any other new TRI chemical. Almost two-thirds of the

releases of nitrate compounds (88.5 million pounds) are discharged to surface waters. Such discharges represent 98.4% of surface water discharges of the newly added chemicals and 64.9% of surface water discharges of all TRI chemicals.

In nitrogen-limited waters, nitrates from nitrate compounds have the potential to cause increased algal growth leading to eutrophication in the aquatic environment. (Nitrate-nitrogen is the form of nitrogen most available to plants.) Studies of estuarine water at several locations along the eastern coast of the US have indicated that low concentrations of dissolved nitrogen (e.g., nitrate) limit primary production of plants. Additions of nitrate to such estuarine systems stimulate primary production of plants and can produce changes in the dominant species of plants, leading to cultural eutrophication and ultimately to deterioration of water quality, including algal blooms. Toxic effects result from oxygen depletion as the algae die and decay. Toxic effects have also been related to the release of decay products or direct excretion of toxic substances from sources such as bluegreen algae.

N-Hexane was the chemical with the second largest releases among the newly added chemicals. Almost all releases of n-hexane were reported as air emissions (77.3 million pounds), and they represent 86.4% of the total air emissions of the newly added TRI chemicals and 3.4% of the total air emissions of all TRI chemicals. EPA has concluded that n-hexane can reasonably be anticipated to cause neurological effects. Studies of workers have shown neurological effects such as blurred vision, abnormal color vision, loss of coordination, and numbness of the extremities. N-hexane has been shown to damage the peripheral nerve cells which are the nerve cells that run from the spinal cord to other parts of the body.



Table 4-18. Top 20 TRI Chemicals with the Largest Releases, among Newly Added Chemicals, 1995.

| CAS Number | Chemical | Total Forms Number | Form As | Fugitive or Nonpoint Ai Emissions Pounds | | Surface Water Discharges Pounds | Underground Injection Pounds | Releases to Land Pounds | Total Releases Pounds |
|---------------|-----------------------------------|--------------------------|---------|---|---------------|--|------------------------------------|-------------------------------|-----------------------------|
| _ | Nitrate compounds | 649 | 37 | 15,932 | 227,510 | 88,495,829 | 46,299,521 | 2,704,310 | 137,743,102 |
| 110-54-3 | n-Hexane | 676 | 18 | 23,071,340 | 54,262,867 | 46,418 | 5,380 | 10,157 | 77,396,162 |
| 68-12-2 | N,N-Dimethylformamide | 134 | 7 | 564,526 | 2,278,664 | 73,106 | 1,099,000 | 1,710 | 4,017,006 |
| | Cyclohexanol | 24 | 5 | 63,513 | 106,655 | 154 | 3,623,000 | 0 | 3,793,322 |
| 872-50-4 | N-Methyl-2-pyrrolidone | 253 | 11 | 1,214,106 | 1,412,926 | 201,221 | 769,037 | 135,050 | 3,732,340 |
| 121-44-8 | Triethylamine | 143 | 20 | 471,422 | 1,545,650 | 27,685 | 309,512 | 14,010 | 2,368,279 |
| 7632-00-0 | Sodium nitrite | 289 | 62 | 79,292 | 143,121 | 1,082,902 | 978,500 | 80,798 | 2,364,613 |
| _ | Polycyclic aromatic compounds | 138 | 7 | 80,920 | 603,381 | 4,915 | 0 | 14,164 | 703,380 |
| 1912-24-9 | Atrazine | 20 | 3 | 3,468 | 19,221 | 1,656 | 0 | 637,036 | 661,381 |
| 10028-15-6 | Ozone | 26 | 1 | 41,779 | 489,392 | 0 | 0 | 0 | 531,171 |
| 124-40-3 | Dimethylamine | 69 | 15 | 126,998 | 327,891 | 24,985 | 45,250 | 3,000 | 528,124 |
| 4170-30-3 | Crotonaldehyde | 7 | 0 | 38,569 | 63,010 | 680 | 391,500 | 0 | 493,759 |
| _ | Diisocyanates | 996 | 272 | 158,719 | 226,662 | 1,370 | 0 | 29,032 | 415,783 |
| _ | Nicotine and salts | 24 | 1 | 26,297 | 351,686 | 755 | 0 | 135 | 378,873 |
| 2699-79-8 | Sulfuryl fluoride | 2 | 0 | 7 | 355,000 | 0 | 0 | 0 | 355,007 |
| 77-73-6 | Dicyclopentadiene | 63 | 3 | 169,168 | 155,133 | 5,468 | 0 | 331 | 330,100 |
| 107-19-7 | Propargyl alcohol | 11 | 1 | 1,650 | 8,229 | 0 | 290,680 | 0 | 300,559 |
| 13194-48-4 | Ethoprop | 6 | 0 | 250 | 256 | 0 | 0 | 174,290 | 174,796 |
| 75-43-4 | Dichlorofluoromethane (HCFC-21) | 4 | 0 | 43,117 | 130,000 | 2 | 0 | 0 | 173,119 |
| 149-30-4 | 2-Mercaptobenzothiazole | 26 | 7 | 1,782 | 32,916 | 5 | 97,000 | 260 | 131,963 |
| | Subtotal | 3,560 | 470 | 26,172,855 | 62,740,170 | 89,967,151 | 53,908,380 | 3,804,283 | 236,592,839 |
| | Total for Chemicals Added in 1995 | 4,410 | 658 | 26,370,105 | 63,104,521 | 90,243,306 | 54,116,863 | 3,887,775 | 237,722,570 |
| | Total for All TRI Chemicals | 73,311 | 6,437 | 385,094,609 | 1,177,227,504 | 136,315,624 | 234,979,709 | 275,131,965 | 2,208,749,411 |

Ozone, also among the top 20 of the newly added chemicals, with 531,000 pounds of air releases, is the subject of recently proposed revisions to air quality standards. EPA has proposed revisions to the air quality standards for ozone due to compelling evidence that this chemical adversely affects human health, and especially the health of children, at levels lower than previously considered. EPA proposed to change this regulation to a new 8 hour standard to protect against longer exposure periods that are of concern at ozone concentration below the level of the current standard. Exposure to ambient ozone concentrations has been linked to increased hospital admissions for respiratory causes, such as asthma. Studies conducted in the northeastern US and Canada show that ozone air pollution is associated with 10-20% of all of the

summertime respiratory-related hospital admissions. Repeated exposure to ozone can make people more susceptible to respiratory infection and lung inflammation and can aggravate preexisting respiratory diseases, such as asthma.

Adults who are outdoors and are moderately active during the summer months, such as construction workers and other outdoor workers, are also among those most at risk. These individuals, as well as those with respiratory illnesses, such as asthma, can experience a reduction in lung function and increased respiratory symptoms, such as chest pain and cough, when exposed to relatively low ozone levels during periods of moderate exertion. Long-term exposures to ozone can cause repeated inflammation of the lung, impairment



of lung defense mechanisms, and irreversible changes in lung structure, which could lead to chronic respiratory illnesses such as emphysema, chronic bronchitis, and or premature aging of the lungs. Also, children are most at risk from exposure to ozone because they are active outside, playing and exercising during the summertime when ozone levels are highest.

TRI information collected on releases of ozone to the environment involve industrial releases of the chemical, not non-manufacturing releases from, for example, automobiles which comprise a greater source of ozone to the environment. However, the information provided through EPCRA section 313 adds to the total picture of ozone in the environment.

Newly Added Chemicals Affecting Children's Health

The chemicals added to the TRI beginning with the 1995 reporting year include chemicals that may have adverse effects for children, such as chemicals that have been linked to developmental toxicity, as well as known respiratory effects. The quality of our children's health and the threat posed by environmental hazards has clearly become of great concern to the public recently. EPA has outlined several reasons why children are particularly vulnerable to environmental health risks. These vulnerabilities include: children's systems are still developing so they eat proportionally more food than adults; children are least able to protect themselves; and their behavior exposes them to different environmental hazards. As a consequence, this group represents a greater concern than the general public to toxic chemical exposure.

Nitrate compounds, the chemical category added to the TRI list for the 1995 reporting year with the greatest releases, captures nitrates which have been linked to infantile methemoglobinemia, or 'blue-baby' syndrome. This

condition, which occurs in human infants exposed to aqueous solutions of nitrate ion and which can cause damage to developing organs and death, is caused by the reduced capacity for the blood to carry oxygen. Infants 0-3 months of age are the most sensitive population to nitrate-induced methemoglobinemia. This is primarily due to their higher stomach pH which favors the growth of nitrate-reducing bacteria, the immaturity of their metabolic enzyme systems, and reduced capacity of their erythrocytes to reduce methemoglobin to hemoglobin. Information concerning this chemical is important to a family's right-to-know.

Other chemicals such as bromoxynil, oxydiazon, and triforine, all added in the chemical expansion for the 1995 reporting year, have been shown to cause structural abnormalities, nonviable births, and decreased birth weights in animal studies. Almost one third of the newly added chemicals are developmental toxicants. The total releases of these chemicals was 10.6 million pounds in 1995, or 4.5% of the total releases for all of the newly added chemicals.

EPA has also noted that there are special concerns relating to children's exposure to ozone. Children are most at risk from exposure to ozone because: children breathe more air per pound of body weight than adults; children are more susceptible than adults to environmental threats because of their developing respiratory systems; and, children are outside most during the summer, when the ozone levels are the highest. Also, because asthma is growing concern in children, additional factors must be taken into account in understanding ozone exposure of asthmatic children. Concern has grown recently because children are 25% of the population and comprise 40% of the asthma cases; the asthma death rate is three times as great as 20 years ago; African-Americans die from asthma at a rate six times that of Caucasians; and, ozone aggravates asthma, increasing



use of medication, more medical treatment, and more visits to emergency clinics.

Chemicals Used as Pesticides

About half of the newly added chemicals are pesticides; the total releases for these chemicals were 2.0 million pounds and transfers were 3.2 million pounds. The TRI information, in concert with efforts made by EPA through the Food Quality Protection Act, can provide the public with a more complete picture of toxic chemicals used as pesticides. Toxic chemicals used as pesticides have a wide range of effects associated with exposure at certain levels. Although TRI reporting reflects manufacturing releases of chemicals used as pesticides and not direct pesticide use, TRI information is still valuable in presenting a fuller picture of pesticides in the environment.

Chemicals Added Because of Carcinogenicity

Almost 15% of the newly added chemicals were added to the TRI list based on EPA's evaluation of their carcinogenicity. Total releases of these chemicals were 1.9 million pounds. This is a different set from those newly added chemicals that are OSHA-designated carcinogens, whose total releases were 5.4 million pounds (see Table 4-22 and discussion of OSHA carcinogens later in this chapter). Cancercausing agents in the environment are an obvious source of concern to the public. The reporting of information about these chemicals adds significantly to community right-to-know.

Newly reportable chemicals are specially marked in Table 4-33, which supplies release and transfer data for all TRI chemicals.

Chemical-Specific Data Tables for All TRI Chemicals

Table 4-19 lists the top 20 chemicals—among all TRI chemicals—with the largest total

releases. Facilities reported releasing more than 100 million pounds of four chemicals: methanol, 245.0 million pounds; ammonia, 195.1 million pounds; toluene, 145.9 million pounds, and nitrate compounds, 137.7 million pounds. For the first three of these chemicals, the primary release medium was air. As mentioned above, nitrate compounds, newly reportable in 1995, were the chemical reported as discharged to water (88.5 million pounds) and to underground wells (46.3 million pounds) in greater amounts than any other TRI chemical. Zinc compounds led the TRI list for reported releases to land (81.5 million pounds).

When only releases to air, water, and land are considered (excluding underground injection), the top 18 chemicals remain the same, although a few change rank by one position.

Use, Toxicity, and Environmental Fate Information

TRI chemicals exhibit a variety of adverse health and environmental effects. Information on use, toxicity, and environmental fate is provided here for the top five chemicals with the largest releases in 1995 (see Table 4-19).

Methanol

Uses. Methanol is used as a solvent, as a raw material in the synthesis of organic chemicals, as a fuel, as a de-icing agent, and to denature ethanol.

Toxicity. Methanol is readily absorbed from the gastrointestinal tract and the respiratory tract, and is toxic to humans in moderate to high doses. In the body, methanol is converted into formaldehyde and formic acid. Observed toxic effects at high dose levels include central nervous system damage and blindness. Inhalation of methanol at relatively high doses affects the liver and blood in animals.

1995

Table 4-19. Top 20 TRI Chemicals with the Largest Total Releases, 1995.

| CAS Number | Chemical | Fugitive or Nonpoint Air Emissions Pounds | Stack or Point Air Emissions Pounds | Surface Water Discharges Pounds | Under ground Injection Pounds | d Releases to Land Pounds | Total Releases Pounds |
|---------------|-----------------------------|--|--|--|-------------------------------------|---------------------------------|-----------------------------|
| 67-56-1 | Methanol | 30,910,899 | 179,265,280 | 8,378,058 | 24,812,653 | 1,645,466 | 245,012,356 |
| | Ammonia | 36,740,310 | 120,018,952 | 9,994,144 | 23,205,946 | 5,137,094 | 195,096,446 |
| 108-88-3 | | 52,017,387 | 93,446,998 | 53,287 | 303,491 | 66,306 | 145,887,469 |
| | Nitrate compounds | 15,932 | 227,510 | 88,495,829 | 46,299,521 | 2,704,310 | 137,743,102 |
| 1330-20-7 | 1 | 22,439,619 | 73,072,799 | 33,806 | 93,396 | 100,323 | 95,739,943 |
| | Zinc compounds | 1,851,792 | 2,912,569 | 1,129,803 | 212,844 | 81,541,683 | 87,648,691 |
| 7647-01-0 | Hydrochloric acid | 2,571,395 | 75,344,797 | 7,286 | 7,382,957 | 24,097 | 85,330,532 |
| | Carbon disulfide | 3,460,693 | 80,664,956 | 39,864 | 3.985 | 265 | 84.169.763 |
| | n-Hexane | 23,071,340 | 54,262,867 | 46,418 | 5,380 | 10,157 | 77,396,162 |
| 78-93-3 | Methyl ethyl ketone | 24,861,372 | 44,485,984 | 63,120 | 556,607 | 87,856 | 70,054,939 |
| 7782-50-5 | • | 1,050,520 | 64,688,063 | 428,976 | 74,124 | 14.213 | 66,255,896 |
| 7664-38-2 | Phosphoric acid | 440,282 | 823,010 | 20,402,696 | 7,560 | 35,884,482 | 57,558,030 |
| | Dichloromethane | 22,188,420 | 33,930,771 | 28,370 | 1,140,335 | 2,064 | 57,289,960 |
| _ | Manganese compounds | 703,340 | 2,121,478 | 822,341 | 3,590 | 41,326,472 | 44,977,221 |
| _ | Glycol ethers | 9,158,796 | 34,386,882 | 176,051 | 132,064 | 25,145 | 43,878,938 |
| _ | Copper compounds | 1,496,420 | 1,183,482 | 79,792 | 264,102 | 40,604,659 | 43,628,455 |
| 100-42-5 | Styrene | 12,115,785 | 29,359,298 | 17,570 | 209,945 | 171,010 | 41,873,608 |
| 74-85-1 | Ethylene | 14,291,229 | 19,827,406 | 27,324 | 0 | 0 | 34,145,959 |
| 75-05-8 | Acetonitrile | 698,612 | 323,270 | 7,474 | 27,837,181 | 12 | 28,866,549 |
| 71-36-3 | n-Butyl alcohol | 5,489,259 | 19,876,273 | 115,353 | 2,263,357 | 4,631 | 27,748,873 |
| | Subtotal | 265,573,402 | 930,222,645 | 130,347,562 | 134,809,038 | 209,350,245 | 1,670,302,892 |
| | Total for All TRI Chemicals | 385,094,609 | 1,177,227,504 | 136,315,624 | 234,979,709 | 275,131,965 | 2,208,749,411 |

Methanol is expected to have low toxicity to aquatic organisms and is not likely to persist in water or to bioaccumulate in aquatic life.

Environmental Fate. Methanol reacts in air to produce formaldehyde, which contributes to formation of air pollutants. In the atmosphere, it can react with other chemicals or be washed out by rain. Methanol is readily degraded by microorganisms in soils and surface waters.

Ammonia

Uses. Ammonia is used in the manufacture of nitrogen compounds, including chemicals used as fertilizers or in making nylon and plastics. It is also used in refrigeration, paper and pulp production, explosives, cleaners, and metaltreating operations.

Toxicity. Anhydrous ammonia is a corrosive and severely irritating gas with a pungent odor; it is irritating to the skin, eyes, nose, throat, and upper respiratory system.

Aqueous ammonia is moderately toxic to aquatic organisms. Because it is a source of nitrogen, an essential element for aquatic plant growth, ammonia may contribute to eutrophication of standing or slow-moving surface water, particularly in nitrogen-limited waters, such as the Chesapeake Bay.

Compound categories do not have CAS numbers (—).

Effective with the 1995 reporting year, the listing for hydrochloric acid was modified to include only acid aerosol forms. Reported releases of hydrochloric acid to water, land, and underground injection are unlikely to be acid aerosol forms and therefore probably represent misreporting. The definition change is described in Chapter 5.



Environmental Fate. Ammonia combines with sulfate ions in the atmosphere and is washed out by rainfall, resulting in rapid return of ammonia to the soil and surface waters. Ammonia is a central compound in the environmental cycling of nitrogen. Ammonia in lakes, rivers, and streams is converted to nitrate.

Toluene

Uses. Toluene is a flammable liquid used in the manufacture of organic chemicals, as a solvent for paint, gums, and resins, and as an additive for gasoline.

Toxicity. Inhalation or ingestion of toluene can cause headaches, confusion, weakness, and memory loss. Toluene may also affect the way the kidneys and liver function. Some studies have shown that unborn animals were harmed when high levels of toluene were inhaled by their mothers, although the same effects were not seen when the mothers were fed large quantities of toluene.

Reactions of toluene in the atmosphere contribute to the formation of ozone in the lower atmosphere. Ozone can affect the respiratory system, especially in sensitive individuals such as asthma or allergy sufferers.

Environmental Fate. As a volatile organic chemical, toluene will react with other atmospheric components in the lower atmosphere, contributing to the formation of ozone and other air pollutants. The majority of releases to land and water will evaporate. Toluene may also be degraded by microorganisms.

Nitrate Compounds

Uses. There are many compounds covered by the nitrate compounds category and they have many uses. The most significant use is as fertilizers, either straight or blended to make complex fertilizers. Some compounds are also used as oxidizing agents and as constituents in some explosives and pyrotechnics. Nitrate compounds are also used as refining agents for removing air bubbles from melts in the glass and enamel industry and in metallurgy as heat-transfer baths for quench hardening and tempering of steel, light alloys, and copper alloys.

Toxicity. Nitrate compounds that are soluble in water release nitrate ion which can cause both human health and environmental effects. Human infants exposed to aqueous solutions of nitrate ion can develop a condition in which the blood's ability to carry oxygen is reduced. This reduced supply of oxygen can led to damaged organs and death. Because it is a source of nitrogen, an essential element for aquatic plant growth, nitrate ion may contribute to eutrophication of standing or slow-moving surface water, particularly in nitrogen-limited waters, such as the Chesapeake Bay.

Environmental Fate. Nitrate-nitrogen is the form of nitrogen most available to plants. In the environment, nitrate ion is taken up by plants and becomes part of the natural nitrogen cycle. Excess nitrate can stimulate primary production of plants and can produce changes in the dominant species of plants, leading to cultural eutrophication and ultimately to deterioration of water quality.

Xylenes

Uses. Xylenes are used in the manufacture of organic chemicals as a raw material and as a solvent. They are also used as solvents for paints, coatings, adhesives, and rubbers.

Toxicity. Xylenes are rapidly absorbed into the body after inhalation, ingestion, or skin contact. Short-term exposure to high levels of xylenes can cause irritation of the skin, eyes, nose, and throat, difficulty in breathing, impaired lung

1995

Table 4-20. TRI Releases of Metals and Metal Compounds, 1995.

| Chemical | Fugitive or Nonpoint Air Emissions Pounds | Stack or Point Air Emissions Pounds | Surface Water Discharges Pounds | Under ground Injection Pounds | Releases to Land Pounds | Total Releases Pounds |
|---------------------------------|--|--|--|-------------------------------------|-------------------------------|-----------------------------|
| Antimony and | 44,017 | 88,296 | 35,938 | 11,332 | 1,186,117 | 1,365,700 |
| antimony compounds | | | | | | |
| Arsenic and | 71,451 | 60,222 | 5,235 | 55,000 | 1,352,453 | 1,544,361 |
| arsenic compounds Barium and | 95,299 | 151 450 | 59,896 | 0 | 534,373 | 941 027 |
| barium and barium compounds | 95,299 | 151,459 | 59,896 | U | 534,373 | 841,027 |
| Beryllium and | 3 | 1,192 | 28 | 0 | 45,189 | 46,412 |
| beryllium compounds | | 1,172 | 20 | O . | 13,107 | 10,112 |
| Cadmium and | 10,340 | 42,712 | 1,108 | 109 | 69,057 | 123,326 |
| cadmium compounds | | | | | | |
| Chromium and | 446,601 | 751,383 | 152,615 | 57,780 | 21,652,821 | 23,061,200 |
| chromium compounds | | | | | | |
| Cobalt and | 17,628 | 43,006 | 87,683 | 22,657 | 228,751 | 399,725 |
| cobalt compounds | 1 049 104 | 1 000 210 | 121 002 | 202 990 | 42 294 924 | 46 557 020 |
| Copper and copper compounds | 1,948,194 | 1,908,210 | 121,903 | 293,889 | 42,284,834 | 46,557,030 |
| Lead and | 735,144 | 1,297,578 | 64,753 | 912 | 14,683,521 | 16,781,908 |
| lead compounds | 755,111 | 1,277,370 | 01,733 | 712 | 11,003,321 | 10,701,500 |
| Manganese and | 1,162,724 | 2,348,450 | 938,857 | 3,607 | 49,656,794 | 54,110,432 |
| manganese compounds | | , , | , | , | , , | |
| Mercury and | 10,698 | 5,613 | 328 | 6 | 1,016 | 17,661 |
| mercury compounds | | | | | | |
| Nickel and | 253,843 | 336,794 | 76,732 | 113,506 | 2,662,954 | 3,443,829 |
| nickel compounds | 2.656 | 60.007 | 2.276 | 2 (40 | 110.272 | 100.042 |
| Selenium and selenium compounds | 2,656 | 69,997 | 2,276 | 3,640 | 110,273 | 188,842 |
| Silver and | 8,500 | 16,702 | 6,445 | 380 | 30,675 | 62,702 |
| silver compounds | 8,500 | 10,702 | 0,773 | 360 | 30,073 | 02,702 |
| Thallium and | 5 | 250 | 0 | 0 | 755 | 1,010 |
| thallium compounds | | | , | , | | |
| Zinc and | 2,609,078 | 4,164,447 | 1,183,067 | 212,844 | 87,944,424 | 96,113,860 |
| zinc compounds 2 | | | | | | |
| Total | 7 /16 191 | 11 286 211 | 2 736 864 | 775 662 | 222 444 007 | 244 650 025 |
| Total | 7,416,181 | 11,286,311 | 2,736,864 | 775,662 | 222,444,007 | 244,659,025 |

function, impaired memory, and possible changes in the liver and kidneys. Both short-and long-term exposure to high concentrations can cause headaches, dizziness, confusion, and lack of muscle coordination. Reactions of xylenes in the atmosphere contribute to the formation of ozone in the lower atmosphere. Ozone can affect the respiratory system, especially in sensitive individuals such as asthma or allergy sufferers.

Environmental Fate. The majority of releases to land and water will quickly evaporate, although some degradation by microorganisms will occur. Xylenes are moderately mobile in soils and may leach into groundwater, where they may persist for several years. As volatile organic chemicals (VOCs), xylenes will react with other atmospheric components in the lower atmosphere, contributing to the formation of ozone and other air pollutants.



Table 4-21. TRI Transfers of Metals and Metal Compounds, 1995.

| | Transfers | Transfers to Energy | Transfers to | Transfers | Transfers | Other Off-site | Total |
|--------------------------------------|------------------------|------------------------|---------------------|--------------------|-----------------------|-------------------|---------------------|
| Chemical | to Recycling Pounds | Recovery Pounds | Treatment Pounds | to POTWs Pounds | to Disposal Pounds | Transfers Pounds | Transfers Pounds |
| Antimony and antimony compounds | 8,857,241 | 50,871 | 889,683 | 113,130 | 3,127,826 | 10,835 | 13,049,586 |
| Arsenic and arsenic compounds | 613,700 | 3,402 | 1,341,873 | 316 | 1,388,214 | 0 | 3,347,505 |
| Barium and barium compounds | 1,856,005 | 91,968 | 1,546,043 | 385,227 | 4,788,921 | 250 | 8,668,414 |
| Beryllium and beryllium compounds | 33,623 | 0 | 1,413 | 1 | 8,543 | 0 | 43,580 |
| Cadmium and cadmium compounds | 1,793,320 | 2,866 | 197,957 | 4,194 | 1,704,559 | 46,535 | 3,749,431 |
| Chromium and chromium compounds | 123,811,523 | 179,718 | 5,522,176 | 358,500 | 20,699,615 | 32,955 | 150,604,487 |
| Cobalt and cobalt compounds | 11,303,443 | 1,864 | 104,752 | 24,903 | 452,506 | 0 | 11,887,468 |
| Copper and copper compounds | 697,197,036 | 77,748 | 3,164,652 | 327,461 | 20,901,980 | 52,146 | 721,721,023 |
| Lead and lead compounds | 351,135,515 | 68,930 | 7,520,913 | 58,334 | 19,016,274 | 1,258,520 | 379,058,486 |
| Manganese and manganese compounds | 125,706,803 | 196,886 | 5,270,818 | 401,124 | 33,392,707 | 521,070 | 165,489,408 |
| Mercury and mercury compounds | 58,206 | 505 | 16,739 | 24 | 208,075 | 871 | 284,420 |
| Nickel and nickel compounds | 100,382,663 | 7,189 | 2,016,960 | 179,866 | 8,556,131 | 1,271 | 111,144,080 |
| Selenium and selenium compounds | 162,882 | 19 | 50,593 | 2,564 | 73,970 | 0 | 290,028 |
| Silver and silver compounds | 2,275,830 | 1 | 28,781 | 2,201 | 10,889 | 0 | 2,317,702 |
| Thallium and thallium compounds | 3,852 | 0 | 190 | 5 | 0 | 0 | 4,047 |
| Zinc and zinc compounds | 306,724,105 | 427,522 | 17,067,410 | 580,498 | 101,036,071 | 3,570 | 425,839,176 |
| Total | 1,731,915,747 | 1,109,489 | 44,740,953 | 2,438,348 | 215,366,281 | 1,928,023 | 1,997,498,841 |

Metals and Metal Compounds

Both metals and their metal compounds are listed on TRI. Releases and transfers reported in 1995 for these chemicals appear on Tables 4-20 and 4-21, respectively. Under EPCRA section 313, facilities that manufacture, process, or otherwise use metal compounds report releases and transfers of only the metal portion of the metal compound. For example, a facility that releases a copper compound, such as copper

sulfate, would report as a release only the weight of the copper, not the weight of the entire copper compound. This is done to capture information on the targeted portion of each member of the category, so that information on the listed, or toxic, portion of the compound is captured.

Metals (including the metal portion of metal compounds) differ from other TRI chemicals because they do not degrade and are not destroyed. Other TRI-listed chemicals can be

Transfers reported without valid waste management codes.

Only fume and dust forms of zinc metal are reportable.



destroyed by sunlight, heat, microorganisms, or other chemicals. Although metals cannot be destroyed, they may be converted to a less toxic form. For example, many facilities convert hexavalent chromium (a known carcinogen) to the less toxic trivalent form before releasing or transferring it to off-site locations. Other metal waste may be treated before disposal so that the metal will be less likely to be transported through soils. Although such treatment may limit the availability of the metal to the environment, it does not destroy the metal.

Table 4-20 shows the releases of TRI metals and metal compounds in 1995, totalling 244.7 million pounds. Note that a few other metals [for example, aluminum (fume or dust) and certain metal-containing pesticides] are also reportable to TRI, but are not included in this table because they do not have associated compound categories. The large majority (90.9%) of releases of metals and metal compounds are land releases.

Table 4-21 shows the transfers of TRI metals and metal compounds in 1995, totaling nearly 2.0 billion pounds. This represents 56.5% of all transfers reported to TRI in 1995. Transfers of metals and metal compounds to recycling totaled 1.73 billion pounds, which represents 86.7% of all transfers of metals and metal compounds and nearly 77.2% of total releases and transfers of metals and metal compounds.

The metal recycling shown in Table 4-21 consists only of off-site recycling. Amounts of individual metals recaptured from waste by on-site recycling activities can be found in the table of waste management data that concludes this chapter.

Some facilities reported transfers of metals in waste off-site for treatment by POTWs. Treatment processes employed at POTWs may remove the metal from a waste stream or

convert the metal into a less toxic form, but they do not destroy the metal. For example, public sewage treatment plants will remove some fraction of the metals during treatment of the waste stream when removing solid materials. The amounts removed are then generally sent to a landfill for disposal. The metal waste that is not removed remains in the wastewater and will pass through the treatment plant and into the aquatic environment.

OSHA Carcinogens

Some chemicals are listed on the TRI because they are either known human carcinogens or suspect carcinogens (see Box 4-4). Known human carcinogens are those that have been shown to cause cancer in humans. Suspect carcinogens are those chemicals that have been shown to cause cancer in animals. TRI thresholds for reporting known and suspect carcinogens in mixtures are lower for these substances. Table 4-22 shows releases for these chemicals.

Clarification of the Basis for Carcinogen Listings on the EPCRA Section 313 List of Toxic Chemicals

Under section 313, a chemical does not have to be counted towards threshold and release calculations if it is present in a mixture below a certain concentration. This is known as the section 313 "de minimis" concentration in mixture. When the section 313 rule was developed, EPA adopted the de minimis percentages from the Occupational Safety and Health Administration's (OSHA) Hazard Communication Standards (29 CFR 1910.1200), because much of the information that industry would have relating to chemicals in mixtures would most likely be from the material safety data sheet (MSDS) on that mixture. The OSHA de minimis limitation is 0.1% if the chemical is a



| Chemical | IARC❷ | NTP 25 | OSHA 23 |
|---|---------------|---------------|----------------|
| Acetaldehyde | 2B | P | _ |
| Acetamide | 2B | _ | _ |
| 2-Acetylaminofluorene | _ | P | Z |
| Acrylamide | 2A | P | |
| Acrylonitrile | 2A | P | Z |
| 2-Aminoanthraquinone | , | P | |
| 4-Aminoazobenzene | 2B | _ | |
| 4-Aminobiphenyl | 1 | K | Z |
| 1-Amino-2-methylanthraquinone | _ | P | |
| Amitrole | 2B | P | |
| o-Anisidine | 2B | _ | _ |
| o-Anisidine hydrochloride | | P | _ |
| Arsenic and inorganic arsenic compounds | 1 | К 2 | Z |
| Asbestos (friable) | 1 | K | Z |
| Atrazine | 2B | _ | _ |
| Benzene | 1 | K | Z |
| Benzidine | 1 | K | Z |
| Benzoic trichloride | 2B | P | _ |
| Beryllium and beryllium compounds | 1 | P 2 | _ |
| Bis(chloromethyl)ether | 1 | K | Z |
| 1,3-Butadiene | 2A | P | |
| C.I. Acid Red 114 | 2A 2B | | _ |
| C.I. Direct Black 38 | 2B 2A | — P | _ |
| C.I. Direct Blue 6 | 2A 2A | P | _ |
| C.I. Direct Brown 95 | 2A 2A | r | _ |
| C.I. Food Red 5 | 2A 2B | <u> </u> | _ |
| | 2B 2B | _ | _ |
| C.I. Solvent Yellow 34 (Auramine) Cadmium and cadmium compounds | 2B 1 | | _ |
| Carbon tetrachloride | 1 2B | P | _ |
| Carbon tetrachioride Chlordane | | r | _ |
| | 2B | <u>—</u> Р | _ |
| Chlorendic acid | 2B | Р | _ |
| p-Chloroaniline | 2B | | _ |
| Chloroform | 2B | P | |
| Chloromethyl methyl ether | 1 | K | Z |
| 3-Chloro-2-methyl-1-propene | | P | _ |
| Chlorophenols | 2B | _ | _ |
| p-Chloro-o-toluidine | 2B | | _ |
| Chromium (VI) compounds | 1 | K | _ |
| Cobalt and cobalt compounds | 2B | _ | _ |
| Creosote | 2A | _ | _ |
| p-Cresidine | 2B | P | _ |
| Cupferron | _ | P | _ |
| 2,4-D 2 3 | 2B | _ | _ |
| 2,4-D butoxyethyl ester 23 | 2B | _ | _ |
| 2,4-D butyl ester 28 | 2B | _ | _ |
| 2,4-D chlorocrotyl ester | 2B | _ | _ |
| 2,4-D 2-ethylhexyl ester | 2B | _ | _ |
| 2,4-D 2-ethyl-4-methylpentyl ester | 2B | _ | _ |
| 2,4-Diaminoanisole | 2B | | _ |
| 2,4-Diaminoanisole sulfate | | P | _ |
| 4,4'-Diaminodiphenyl ether | 2B | _ | _ |
| 2,4-Diaminotoluene | 2B | P | _ |
| Diaminotoluene (mixed isomers) | 2B | P | _ |
| 1,2-Dibromo-3-chloropropane | 2B | P | Z |
| 1,2-Dibromoethane | 2A | P | _ |
| 1,4-Dichlorobenzene | 2B | P | _ |
| Dichlorobenzene (mixed isomers) | 2B | P | _ |
| 3,3'-Dichlorobenzidine | 2B | P | Z |
| 3,3'-Dichlorobenzidine dihydrochloride | 2B | P | _ |
| 3,3'-Dichlorobenzidine sulfate | 2B | P | _ |
| 1,2-Dichloroethane | 2B | P | _ |
| Dichloromethane | 2B | P | _ |
| trans-1,3-Dichloropropene | 2B 2B | _ | _ |
| | 41 | | |

Box 4-4. Basis of OSHA Carcinogen Listing for Individual Chemicals.





| Chemical | IARC 2 | NTP 25 | OSHA 2 |
|---|---------------|---------------|---------------|
| Dichlorvos | 2B | _ | _ |
| Diepoxybutane | 2B | P | _ |
| Di-(2-ethylhexyl)phthalate | 2B | P | _ |
| Diethyl sulfate | 2A | P | |
| Diglycidyl resorcinol ether | 2B | | |
| Dihydrosafrole | 2B 2B | p | _ |
| | | | _ |
| 3,3'-Dimethoxybenzidine | 2B | P | _ |
| 3,3'-Dimethoxybenzidine dihydrochloride | 2B | P | _ |
| 3,3'-Dimethoxybenzidine hydrochloride | 2B | P | _ |
| 4-Dimethylaminoazobenzene | 2B | P | Z |
| 3,3'-Dimethylbenzidine | 2B | P | _ |
| 3,3'-Dimethylbenzidine dihydrochloride | 2B | P | _ |
| 3,3'-Dimethylbenzidine dihydrofluoride | 2B | P | _ |
| Dimethylcarbamyl chloride | 2A | P | _ |
| N,N-Dimethylformamide | 2B | _ | |
| 1,1-Dimethylhydrazine | 2B 2B | P | |
| | 2B 2A | P | _ |
| Dimethyl sulfate | | | _ |
| 1,4-Dioxane | 2B | P | _ |
| 1,2-Diphenylhydrazine | - | P | _ |
| 2,4-D isopropyl ester | 2B | _ | _ |
| 2,4-DP 2 3 | 2B | | _ |
| 2,4-D propylene glycol butyl ether ester 23 | 2B | _ | _ |
| 2,4-D sodium salt2 | 2B | | |
| Epichlorohydrin | 2B 2A | P | |
| | | | _ |
| Ethyl acrylate | 2B | P | |
| Ethyleneimine | - | _ | Z |
| Ethylene oxide | 1 | P | Z |
| Ethylene thiourea | 2B | P | _ |
| Formaldehyde | 2A | P | Z |
| Heptachlor | 2B | _ | |
| Hexachlorobenzene | 2B | P | |
| Hexamethylphosphoramide | 2B | P | |
| | 2B 2B | P | _ |
| Hydrazine | | | _ |
| Hydrazine sulfate | - | P | _ |
| Lead and inorganic lead compounds | 2B | _ | Z |
| Lindane _ | 2B | P | |
| Mecoprop 23 | 2B | _ | _ |
| Methoxone 28 | 2B | _ | _ |
| Methoxone sodium salt28 | 2B | | _ |
| 4,4-Methylenebis (2-chloroaniline) | 2A | P | _ |
| 4,4'-Methylenebis (N,N-dimethyl) benzeneamine | 2B | P | |
| | 2B 2B | P | 7 |
| 4,4'-Methylenedianiline | | | |
| Michler's ketone | _ | P | _ |
| Mustard gas | 1 | K | |
| alpha-Naphthylamine | - | _ | Z |
| beta-Naphthylamine | 1 | K | Z |
| Nickel | 2B | P | _ |
| Nickel compounds | 1 | P 2 | _ |
| Nitrilotriacetic acid | <u>-</u> | P | |
| 4-Nitrobiphenyl | _ | ī | |
| | | — P | L |
| Nitrofen | 2B | Ρ | _ |
| Nitrogen mustard | 2A | _ | _ |
| 2-Nitropropane | 2B | P | _ |
| N-Nitrosodi-n-butylamine | 2B | P | _ |
| N-Nitrosodiethylamine | 2A | P | _ |
| N-Nitrosodimethylamine | 2A | P | Z |
| N-Nitrosodi-n-propylamine | 2B | P | _ |
| N-Nitroso-N-ethylurea | 2B 2A | P | |
| | | | _ |
| N-Nitroso-N-methylurea | 2A | P | _ |
| N-Nitrosomethylvinylamine | 2B | P | _ |
| N-Nitrosomorpholine | 2B | P | _ |
| N-Nitrosonornicotine | 2B | P | _ |
| | | | |
| N-Nitrosopiperidine | 2B | P | |

Box 4-4. Basis of OSHA Carcinogen Listing for Individual Chemicals, Cont.



| Chemical | IARC ⊘ | NTP 2 | OSHA 2 |
|---------------------------------------|---------------|--------------|---------------|
| Phenytoin | 2B | P | _ |
| Polybrominated biphenyls (PBBs) | 2B | P | _ |
| Polychlorinated biphenyls (PCBs) | 2A | P | |
| Polycyclic aromatic compounds (PACs): | | | |
| Benz(a)anthracene | 2A | P | _ |
| Benzo(b)fluoranthene | 2B | P | _ |
| Benzo(j)fluoranthene | 2B | P | _ |
| Benzo(k)fluoranthene | 2B | | _ |
| Benzo(rst)pentaphene | 2B | _ | |
| Benzo(a)pyrene | 2A | P | |
| Dibenz(a,h)acridine | 2A | P | |
| Dibenz(a,j)acridine | 2B | P | _ |
| Dibenzo(a,h)anthracene | 2B | P | |
| 7H-Dibenzo(c,g)carbazole | 2B | P | _ |
| Dibenzo(a,e)pyrene | 2B | P | _ |
| Dibenzo(a,h)pyrene | 2B | P | _ |
| Dibenzo(a,l)pyrene | 2B | P | _ |
| 7,12-Dimethylbenz(a)anthracene | 2B | _ | |
| Indeno[1,2,3-cd]pyrene | 2B | P | |
| 5-Methylchrysene | 2B | P | |
| 1-Nitropyrene | 2B | _ | |
| Potassium bromate | 2B | | _ |
| Propane sultone | 2B 2B | P | |
| beta-Propiolactone | 2B 2B | P | |
| Propyleneimine Propyleneimine | 2B 2B | P | L |
| Propylene oxide | 2B 2B | P | _ |
| Saccharin (manufacturing) | 2B 2B | P | _ |
| Safrole | 2B 2B | P | _ |
| Sodium o-phenylphenoxide | 2B 2B | I | _ |
| Styrene | 2B 2B | _ | |
| | | _ | |
| Styrene oxide | 2A | | _ |
| Tetrachloroethylene | 2B | P | _ |
| Thioacetamide | 2B | P | _ |
| 4,4'-Thiodianiline | 2B | P | _ |
| Thiourea | 2B | P | _ |
| Toluene-2,4-diisocyanate | 2B | P | _ |
| Toluene-2,6-diisocyanate | 2B | P | _ |
| Toluene diisocyanate (mixed isomers) | 2B | P | _ |
| o-Toluidine | 2B | P | _ |
| o-Toluidine hydrochloride | - | P | _ |
| Toxaphene | 2B | P | _ |
| Trichloroethylene | 2A | _ | _ |
| 2,4,6-Trichlorophenol | 2B | P | _ |
| 1,2,3-Trichloropropane | 2A | _ | _ |
| Tris(2,3-dibromopropyl)phosphate | 2A | P | _ |
| Trypan blue | 2B | _ | _ |
| Urethane | 2B | P | _ |
| Vinyl acetate | 2B | _ | _ |
| Vinyl bromide | 2A | _ | _ |
| Vinyl chloride | 1 | K | Z |
| 2,6-Xylidine | 2B | | |

Box 4-4. Basis of OSHA Carcinogen Listing for Individual Chemicals, Cont. 2

- 2 1: The chemical is carcinogenic to humans; 2A: The chemical is probably carcinogenic to humans; 2B: The chemical is possibly carcinogenic to humans.
- 🛎 K: The chemical is known to be carcinogenic; P: The chemical may reasonably be anticipated to be carcinogenic.
- Z: The chemical appears at 29 CFR Part 1910 Subpart Z.
- **2** Certain compounds.
- & Chlorophenoxy herbicides (IARC 2B).
- The list of TRI chemicals meeting the OSHA carcinogen standard and, therefore, reported when in a mixture at a concentration level below the de minimus level of 0.1%, has been updated, and this list reflects the update.



Table 4-22. TRI Releases to Air, Water, and Land of OSHA Carcinogens, 1995 (Alphabetically Ordered).

| | | Fugitive or | Stack or | Surface | | | |
|--|--|--------------------|------------------|------------|-------------|----------|------------------|
| CAS | | Nonpoint Air | Point Air | Water | Underground | Releases | Total |
| Number 3 | Chemical | Emissions | Emissions | Discharges | Injection | to Land | Releases |
| | | Pounds | Pounds | Pounds | Pounds | Pounds | Pounds |
| 75-07-0 | Acetaldehyde | 1,609,764 | 11,813,290 | 225,846 | 605,885 | 155,355 | 14,410,140 |
| 60-35-5 | Acetamide | 7 | 1 | 0 | 920,000 | 0 | 920,008 |
| 79-06-1 | Acrylamide | 6,922 | 12,155 | 1,929 | 6,120,154 | 235 | 6,141,395 |
| 107-13-1 | Acrylonitrile | 270,587 | 997,712 | 9,539 | 5,193,028 | 618 | 6,471,484 |
| 60-09-3 | 4-Aminoazobenzene | 0 | 0 | 0 | 64 | 0 | 64 |
| 92-67-1 | 4-Aminobiphenyl | 0 | 0 | 0 | 2 | 0 | 2 |
| 90-04-0 | o-Anisidine | 966 | 65 | 74 | 0 | 0 | 1,105 |
| 7440-38-2 | Arsenic | 2,444 | 4,408 | 299 | 0 | 27,351 | 34,502 |
| 1332-21-4 | Asbestos (friable) | 1,055 | 2,590 | 1 | 0 | 131,404 | 135,050 |
| 1912-24-9 (| Atrazine | 3,468 | 19,221 | 1,656 | 0 | 637,036 | 661,381 |
| 71-43-2 | Benzene | 4,039,259 | 5,239,734 | 21,300 | 275,242 | 16,468 | 9,592,003 |
| 98-07-7 | Benzoic trichloride | 6,446 | 50 | 0 | 0 | 0 | 6,496 |
| 7440-41-7 | Beryllium | 3 | 832 | 26 | 0 | 22,189 | 23,050 |
| _ | Beryllium compounds | 0 | 360 | 2 | 0 | 23,000 | 23,362 |
| 542-88-1 | Bis(chloromethyl) ether | 0 | 0 | 0 | 0 | 0 | 0 |
| 106-99-0 | 1,3-Butadiene | 1,437,480 | 1,476,081 | 5,398 | 0 | 277 | 2,919,236 |
| 7440-43-9 | Cadmium | 2,480 | 9,459 | 458 | 0 | 19,938 | 32,335 |
| | Cadmium compounds | 7,860 | 33,253 | 650 | 109 | 49,119 | 90,991 |
| 56-23-5 | Carbon tetrachloride | 140,135 | 254,041 | 717 | 53,966 | 0 | 448,859 |
| 57-74-9 | Chlordane | 823 | 0 | 22 | 0 | 0 | 845 |
| | Chlorendic acid | 0 | 6 | 0 | 0 | 0 | 6 |
| | p-Chloroaniline | 11 | 256 | 827 | 0 | 0 | 1,094 |
| 67-66-3 | Chloroform | 3,326,071 | 6,907,283 | 329,330 | 33,276 | 4,297 | 10,600,257 |
| 107-30-2 | Chloromethyl methyl ether | 11 | 2,854 | 10 | 0 | 0 | 2,875 |
| 563-47-3 (N) | 3-Chloro-2-methyl-1-propene | 86 | 19,543 | 0 | 0 | 0 | 19,629 |
| _ | Chlorophenols | 1,960 | 3,037 | 30 | 105,687 | 0 | 110,714 |
| ~ | C.I. Acid Red 114 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16071-86-6 | C.I. Direct Brown 95 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7440-48-4 | Cobalt | 13,623 | 20,872 | 17,295 | 0 | 48,334 | 100,124 |
| 0001 50 0 | Cobalt compounds | 4,005 | 22,134 | 70,388 | 22,657 | 180,417 | 299,601 |
| 8001-58-9 120-71-8 | Creosote p-Cresidine | 411,041 1,706 | 494,525 2,900 | 8,294 0 | 0 | 500 | 914,360 4,606 |
| 135-20-6 | Cupferron | 0 | 2,900 | 0 | 0 | 0 | 4,600 |
| 94-75-7 | 2,4-D (acetic acid) | 2,580 | 4,308 | 1,083 | 250 | 4,325 | 12,546 |
| | 2,4-D (acetic acid) 2,4-D butoxyethyl ester | 2,380 | 255 | 1,063 | 0 | 4,323 | 510 |
| - | 2,4-D butyl ester | 0 | 3 | 0 | 0 | 0 | 3 |
| | 2,4-D outyrester 2,4-D 2-Ethylhexyl ester | 1,510 | 1,255 | 250 | 0 | 0 | 3,015 |
| 1928-43-4 (N) 101-80-4 | 4,4'-Diaminodiphenyl ether | 5 | 1,233 | 359 | 0 | 0 | 3,013 |
| 95-80-7 | 2,4-Diaminotoluene | 250 | 250 | 0 | 0 | 0 | 500 |
| 25376-45-8 | Diaminotoluene | 4,372 | 5,222 | 5,522 | 7,050 | 55 | 22,221 |
| 23370-43-8 | (mixed isomers) | 7,372 | 3,222 | 3,322 | 7,030 | 33 | 22,221 |
| 106-93-4 | 1,2-Dibromoethane | 7,858 | 4,514 | 306 | 0 | 256 | 12,934 |
| 106-46-7 | 1,4-Dichlorobenzene | 117,473 | 126,323 | 1,287 | 0 | 3,100 | 248,183 |
| 25321-22-6 | Dichlorobenzene | 210 | 5,233 | 0 | 0 | 0 | 5,443 |
| 23321 22 0 | (mixed isomers) | 210 | 3,233 | Ü | · · | Ü | 3,113 |
| 91-94-1 | 3,3'-Dichlorobenzidine | 5 | 6 | 0 | 0 | 0 | 11 |
| | 3,3'-Dichlorobenzidine | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | dihydrochloride | | - | - | - | - | |
| 64969-34-2 (A) | 3,3'-Dichlorobenzidine sulfate | 0 | 0 | 0 | 0 | 0 | 0 |
| 107-06-2 | 1,2-Dichloroethane | 593,163 | 640,757 | 5,194 | 24,339 | 256 | 1,263,709 |
| 107-00-2 | Dichloromethane | 22,188,420 | 33,930,771 | 28,370 | 1,140,335 | 2,064 | 57,289,960 |
| 75-09-2 | Dicinordinethane | | | 0 | 0 | 0 | 256 |
| 75-09-2 | | 250 | 6 | U | U | U | 230 |
| 75-09-2 | trans-1,3-Dichloropropene | | | | 0 | 0 | |
| 75-09-2 10061-02-6 () | | 250 20,801 5 | 10,466 250 | 193 5 | | | 31,460 260 |
| 75-09-2 10061-02-6 (n) 542-75-6 | trans-1,3-Dichloropropene 1,3-Dichloropropylene | 20,801 | 10,466 | 193 | 0 | 0 | 31,460 |



Table 4-22. TRI Releases to Air, Water, and Land of OSHA Carcinogens, 1995 (Alphabetically Ordered), Cont.

| Table 4-22. | TRI Releases to Air, water | , and Land (| or Coria Card | inogens, ro | oo (Aipiiabetii | carry Ordere | u), oone. |
|---------------------|--|----------------|---------------|-------------|-----------------|--------------|---------------|
| | | Fugitive or | Stack or | Surface | | | |
| CAS | | Nonpoint Air | | Water | Underground | Releases | Total |
| Number 🛐 | Chemical | Emissions | Emissions | Discharges | Injection | to Land | Releases |
| | | Pounds | Pounds | Pounds | Pounds | Pounds | Pounds |
| 94-58-6 | Dihydrosafrole | 250 | 5 | 0 | 0 | 0 | 255 |
| 119-90-4 | 3,3'-Dimethoxybenzidine | 0 | 0 | 0 | 0 | 0 | 0 |
| 20325-40-0 (N) | 3,3'-Dimethoxybenzidine | 5 | 5 | 0 | 0 | 0 | 10 |
| | dihydrochloride | | | | | | |
| 68-12-2 (A) | N,N-Dimethylformamide | 564,526 | 2,278,664 | 73,106 | 1,099,000 | 1,710 | 4,017,006 |
| 57-14-7 | 1,1-Dimethyl hydrazine | 781 | 38 | 0 | 0 | 0 | 819 |
| 77-78-1 | Dimethyl sulfate | 5,154 | 1,278 | 1 | 0 | 0 | 6,433 |
| 123-91-1 | 1,4-Dioxane | 114,767 | 108,098 | 216,689 | 0 | 5,736 | 445,290 |
| 120-36-5 () | | 255 | 5 | 0 | 0 | 0 | 260 |
| | 2,4-D sodium salt | 0 | 0 | 0 | 0 | 0 | 0 |
| 106-89-8 | Epichlorohydrin | 200,269 | 110,980 | 26,937 | 0 | 18,874 | 357,060 |
| 140-88-5 | Ethyl acrylate | 98,573 | 254,678 | 547 | 0 | 523 | 354,321 |
| 151-56-4 75-21-8 | Ethyleneimine Ethylene oxide | 0 430,888 | 3 408,341 | 0 5,225 | 130,000 | 0 2,208 | 976,662 |
| 96-45-7 | Ethylene thiourea | 430,888 | 520 | 0,223 | 130,000 | 2,208 | 525 |
| 50-00-0 | Formaldehyde | 1,796,338 | 9,906,100 | 277,099 | 7,313,034 | 133,825 | 19,426,396 |
| 76-44-8 | Heptachlor | 203 | 9,900,100 | 6 | 7,515,054 | 0 | 209 |
| 118-74-1 | Hexachlorobenzene | 477 | 89 | 6,458 | 480 | 0 | 7,504 |
| 302-01-2 | Hydrazine | 9,931 | 3,593 | 3 | 0 | 5 | 13,532 |
| 10034-93-2 | Hydrazine sulfate | 0 | 0 | 0 | 200,000 | 0 | 200,000 |
| 7439-92-1 | Lead | 342,989 | 387,105 | 10,595 | 0 | 2,342,855 | 3,083,544 |
| 58-89-9 | Lindane | 250 | 250 | 0 | 0 | 0 | 500 |
| 93-65-2 () | Mecoprop | 518 | 1,298 | 0 | 0 | 0 | 1,816 |
| 94-74-6 () | Methoxone | 755 | 506 | 0 | 0 | 0 | 1,261 |
| 101-14-4 | 4,4'-Methylenebis(2-chloro- | 250 | 10 | 0 | 0 | 0 | 260 |
| | aniline) | | | | | | |
| 101-61-1 | 4,4'-Methylenebis(N,N- | 5 | 5 | 0 | 0 | 0 | 10 |
| 101 55 0 | dimethyl) benzeneamine | 0.546 | 4.704 | 60 | 22.110 | | 22.510 |
| 101-77-9 | 4,4'-Methylenedianiline | 8,546 | 1,791 | 63 | 23,110 | 0 | 33,510 |
| 90-94-8 134-32-7 | Michler's ketone | 0 | 1,577 0 | 0 | 0 | 0 | 1,577 |
| 7440-02-0 | alpha-Naphthylamine Nickel | 146,458 | 180,645 | 23,703 | 6,370 | 371,024 | 728,200 |
| 7440-02-0 | Nickel compounds | 107,385 | 156,149 | 53,029 | 107,136 | 2,291,930 | 2,715,629 |
| 139-13-9 | Nitrilotriacetic acid | 107,505 | 0 | 34 | 2,900 | 0 | 2,935 |
| 79-46-9 | 2-Nitropropane | 21,057 | 10,208 | 3,000 | 0 | 0 | 34,265 |
| 59-89-2 | N-Nitrosomorpholine | 0 | 0 | 0 | 0 | 0 | 0 |
| 87-86-5 | Pentachlorophenol | 1,825 | 4,441 | 2,439 | 0 | 250 | 8,955 |
| 57-41-0 (A) | Phenytoin | 0 | 0 | 0 | 0 | 0 | 0 |
| _ | Polybrominated biphenyls | 0 | 0 | 0 | 0 | 0 | 0 |
| 1336-36-3 | Polychlorinated biphenyls | 0 | 0 | 0 | 0 | 0 | 0 |
| _ | (PCBs) | | | | _ | | |
| | Polycyclic aromatic compounds | 80,920 | 603,381 | 4,915 | 0 | 14,164 | 703,380 |
| \sim | Potassium bromate | 5 | 0 | 0 | 0 | 0 | 5 |
| 1120-71-4 | Propane sultone | 0 | 0 | 0 | 0 | 0 | 0 |
| 75-55-8 | Propyleneimine | 564 345 822 | 36 403 042 | 20.034 | 0 | 4 403 | 600 |
| 75-56-9 81-07-2 | Propylene oxide Saccharin (manufacturing) | 345,822 90 | 493,042 9 | 29,934 0 | 22,577 0 | 4,403 0 | 895,778 99 |
| 81-07-2 94-59-7 | Safrole (manufacturing) | 250 | 5 | 0 | 0 | 0 | 255 |
| 100-42-5 | Styrene | 12,115,785 | 29,359,298 | 17,570 | 209,945 | 171,010 | 41,873,608 |
| 96-09-3 | Styrene oxide | 12,113,763 | 12 | 0 | 209,943 | 0 | 13 |
| 127-18-4 | Tetrachloroethylene | 4,493,166 | 4,884,751 | 2,407 | 20,481 | 6 | 9,400,811 |
| 62-56-6 | Thiourea | 872 | 758 | 1,487 | 5,000 | 250 | 8,367 |
| 584-84-9 | Toluene-2,4-diisocyanate | 3,666 | 4,139 | 0 | 0 | 0 | 7,805 |
| 91-08-7 | Toluene-2,6-diisocyanate | 984 | 2,060 | 0 | 0 | 0 | 3,044 |
| 26471-62-5 | Toluenediisocyanate | 14,783 | 33,814 | 105 | 0 | 275 | 48,977 |
| | (mixed isomers) | | | | | | |
| | | | | | | | |

Table 4-22. TRI Releases to Air, Water, and Land of OSHA Carcinogens, 1995 (Alphabetically Ordered), Cont. @

| CAS Number Chemical | Fugitive or Nonpoint Ai Emissions Pounds | r Point Air | Surface Water Discharges Pounds | Underground Injection Pounds | d Releases to Land Pounds | Total Releases Pounds |
|--|--|---|--|---|---|---|
| 95-53-4 o-Toluidine 79-01-6 Trichloroethylene 88-06-2 2,4,6-Trichlorophenol 96-18-4 (1) 1,2,3-Trichloropropane 51-79-6 Urethane 108-05-4 Vinyl acetate 593-60-2 Vinyl bromide 75-01-4 Vinyl chloride 87-62-7 2,6-Xylidine Subtotal Total for All TRI Chemicals | 9,557 12,230,811 135 10,251 124 1,068,111 43,460 319,592 54 69,018,638 385,094,609 | 2,029 13,253,424 26 830 0 2,756,124 11,470 722,011 221 128,344,823 | 256 1,477 210 1,600 0 8,269 0 525 0 1,505,216 | 22,140 550 0 0 783,829 0 33 0 24,448,629 234,979,709 | 12 3,577 0 0 0 1,717 0 1 0 6,817,108 | 33,994 25,489,839 371 12,681 124 4,618,050 54,930 1,042,162 275 230,134,414 2,208,749,411 |

known or suspect carcinogen by virtue of appearing in one of three sources:

- National Toxicology Program (NTP), "Annual Report on Carcinogens" (Latest Edition);
- 2. International Agency for Research on Cancer (IARC) "Monographs" (Latest Editions); or
- 3. 29 CFR 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration.

The de minimis limitation is 1.0% for chemicals that do not meet the above OSHA carcinogen criteria. The carcinogen designation in the list of chemicals relates to any chemical that the Agency determined met the above OSHA criteria for the 0.1% de minimis limitation. Box 4-4 shows the specific bases for which the individual chemical was designated as a known or suspect carcinogen. This list was recently updated based on a review of the NTP, IARC, and OSHA sources.

Certain metal compound categories have two de minimis limitations. For example, hexavalent chromium compounds and inorganic arsenic compounds meet the OSHA carcinogen criteria, while trivalent chromium compounds and organic arsenic do not meet the OSHA criteria. Release and transfer information on these groups is included in Table 4-22, even though not all compounds may meet the criteria.

Table 4-22 provides the releases for OSHA carcinogens reported to TRI. Of the 116 carcinogens for which TRI forms were submitted in 1995, 21 are newly added chemicals. Total releases of all OSHA carcinogens were 230.1 million pounds, including 5.4 million pounds of the newly added OSHA carcinogens.

Releases and Transfers of All TRI Chemicals

Releases and transfers of all TRI chemicals reported in 1995 appear in Table 4-33. This table, and a similar table presenting waste management data, occur at the end the chapter.

- The list of TRI chemicals meeting the OSHA carcinogen standard and, therefore, reported when in a mixture at a concentration level below the de minimus level of 0.1%, has been updated, and this list reflects the update.
- Compound categories do not have CAS numbers (—).
- Newly reportable in 1995.